# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of GOODS

Procurement of IT Equipment and Peripherals for Various Offices/Colleges

**Batangas State University** 

# REPUBLIC OF THE PHILIPPINES **BATANGAS STATEUNIVERSITY**

BATANGASCITY

## SECTION I INVITATION TO BID

# PROCUREMENT OF IT EQUIPMENT AND PERIPHERALS FOR VARIOUS OFFICES/COLLEGES

- 1. The Batangas State University, intends to apply the sum of **One Million Nine Hundred Three Thousand Six Hundred Pesos Only (Php 1,903,600.00)** being the Approved Budget for the Contract (ABC) to payments under the contract for **Procurement of IT Equipment and Peripherals for Various Offices/Colleges.**Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Batangas State University now invites bids for **Procurement of IT Equipment and Peripherals for Various Offices/Colleges.** Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project, equivalent to at least fifty percent (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in **Section II Instruction to Bidders.**
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary pass/fail criterion as specified in the Revised Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184).
- 4. Interested bidders may obtain further information from Batangas State University and inspect the Bidding Documents at the BAC Office, Ground Floor, ITE Building from 8:00 AM to 5:00 PM, or download it from PhilGEPS or from Batangas State University Website (<a href="http://www.batstate-u.edu.ph/">http://www.batstate-u.edu.ph/</a>) provided the bidders shall pay the fee for the bidding documents upon submission of their bids. A complete set of Bidding Documents may be acquired by interested Bidders from the above mentioned address starting May 13, 2016 until the deadline for submission and receipt of bids and upon submission of letter of intent and payment of a nonrefundable fee for the Bidding Documents in the amount of Two Thousand Pesos Only (Php 2,000.00). Only those who have purchased the Bidding Documents shall be allowed to participate in the pre-bid conference and raise or submit queries or clarifications.
- 5. The Batangas State University will hold a Pre-Bid Conference on May 20, 2016, 2016, 1:00 PM, BAC Office, Ground Floor, CITE Building GPB Campus I which shall beopen only to all interested parties who have purchased the Bidding Documents.

- 6. Bids must be delivered to the above mentioned address on **June 1, 2016, 1:00 2:00 PM. Opening of bids will be at 2:00 PM.** All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.
- 7. The Batangas State University reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.

For further information, please refer to:

BAC Office, Ground Floor, CITE Building Batangas State University Main Campus

<u>ATTY. EDGARD E. VALDEZ</u> <u>BAC Chairman</u> Tel. No. 043-980-0385 local 1549

# SECTION II INSTRUCTION TO BIDDERS

# **TABLE OF CONTENTS**

A.	GENE	RAL	3
	1.	Scope of Bid	3
	2.	Source of Funds	3
	3.	Corrupt, Fraudulent, Collusive, and Coercive Practices	3
	4.	Conflict of Interest	4
	5.	Eligible Bidders	5
	6.	Bidder's Responsibilities	7
	7.	Origin of Goods	8
	8.	Subcontracts	8
B.	Cont	ENTS OF BIDDING DOCUMENTS	8
	9.	Pre-Bid Conference	8
	10.	Clarification and Amendment of Bidding Documents	9
C.	PREPARATION OF BIDS		
	11.	Language of Bid	9
	12.	Documents Comprising the Bid: Eligibility and Technical Components	10
	13.	Documents Comprising the Bid: Financial Component	11
	14.	Alternative Bids	12
	15.	Bid Prices	12
	16.	Bid Currencies	13
	17.	Bid Validity	14
	18.	Bid Security	14
	19.	Format and Signing of Bids	16
	20.	Sealing and Marking of Bids	16
D.	SUBMISSION AND OPENING OF BIDS		16
	21.	Deadline for Submission of Bids	17
	22.	Late Bids	17
	23.	Modification and Withdrawal of Bids	17
	24.	Opening and Preliminary Examination of Bids	18
E.	EVAL	UATION AND COMPARISON OF BIDS	19
	25.	Process to be Confidential	19
	26.	Clarification of Bids	19

	27.	Domestic Preference	19
	28.	Detailed Evaluation and Comparison of Bids	20
	29.	Post-Qualification	21
	30.	Reservation Clause	22
F.	Award of Contract		23
	31.	Contract Award	23
	32.	Signing of the Contract	24
	33.	Performance Security	24
	34.	Notice to Proceed	25

#### A. General

#### 1. Scope of Bid

- 1.1. The procuring entity named in the **BDS** (hereinafter referred to as the "Procuring Entity") wishes to receive bids for supply and delivery of the goods as described in Section VII-Technical Specifications (hereinafter referred to as the "Goods").
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the **BDS**. The contracting strategy and basis of evaluation of lots is described in ITB Clause 28.

#### 2. Source of Funds

The Procuring Entity has a budget or has applied for or received funds from the Funding Source named in the **BDS**, and in the amount indicated in the **BDS**. It intends to apply part of the funds received for the Project, as defined in the **BDS**, to cover eligible payments under the contract.

#### 3. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 3.1. Unless otherwise specified in the <u>BDS</u>, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
  - (a) defines, for purposes of this provision, the terms set forth below as follows:
    - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
    - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
    - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.

- (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
- (v) "obstructive practice" is
  - deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or
  - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in ITB Clause 3.1(a).
- 3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the GCC Clause **Error! Reference source not found.**

#### 4. Conflict of Interest

- 4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of interest in any of the circumstances set out in paragraphs (d) through (f) below:
  - (a) A Bidder has controlling shareholders in common with another Bidder;
  - (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;

- (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
- (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process. This will include a firm or an organization who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project if the personnel would be involved in any capacity on the same project;
- (e) A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid; or
- (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid.
- 4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:
  - (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
  - (b) If the Bidder is a partnership, to all its officers and members;
  - (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders; and
  - (d) If the Bidder is a joint venture (JV), the provisions of items (a), (b), or (c) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

## 5. Eligible Bidders

- 5.1. Unless otherwise provided in the **BDS**, the following persons shall be eligible to participate in this bidding:
  - (a) Duly licensed Filipino citizens/sole proprietorships;
  - (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;

- (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
- (d) Cooperatives duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines; and
- (e) Unless otherwise provided in the <u>BDS</u>, persons/entities forming themselves into a JV, *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the joint venture concerned shall be at least sixty percent (60%).
- 5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:
  - (a) When a Treaty or International or Executive Agreement as provided in Section 4 of the RA 9184 and its IRR allow foreign bidders to participate;
  - (b) Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - (c) When the Goods sought to be procured are not available from local suppliers; or
  - (d) When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Government corporate entities may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not dependent agencies of the GOP or the Procuring Entity.
- 5.4. Unless otherwise provided in the **BDS**, the Bidder must have completed at least one contract similar to the Project the value of which, adjusted to current prices using the National Statistics Office consumer price index, must be at least equivalent to a percentage of the ABC stated in the **BDS**.
  - For this purpose, contracts similar to the Project shall be those described in the **BDS**, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(iii).
- 5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC) or a commitment from a Universal or Commercial Bank to extend a credit line in its favor if awarded the contract for this Project (CLC).

The NFCC, computed using the following formula, must be at least equal to the ABC to be bid:

NFCC = [(Current assets minus current liabilities) (K)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract for this Project.

Where:

K = 10 for a contract duration of one year or less, 15 for a contract duration of more than one year up to two years, and 20 for a contract duration of more than two years.

The value of the bidder's current assets and current liabilities shall be based on the data submitted to the BIR, through its Electronic Filing and Payment System.

#### 6. Bidder's Responsibilities

- 6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section VIII-Bidding Documents as required in **ITB** Clause 12.1(b)(iii).
- 6.2. The Bidder is responsible for the following:
  - (a) Having taken steps to carefully examine all of the Bidding Documents;
  - (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
  - (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;
  - (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under **ITB** Clause 10.3.
  - (e) Ensuring that it is not "blacklisted" or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;
  - (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
  - (g) Authorizing the Head of the Procuring Entity or its duly authorized representative/s to verify all the documents submitted;
  - (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary's Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
  - (i) Complying with the disclosure provision under Section 47 of RA 9184 in relation to other provisions of RA 3019; and
  - (j) Complying with existing labor laws and standards, in the case of procurement of services.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

6.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.

- 6.4. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.5. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity.
- 6.6. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.7. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.8. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the nonrefundable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

#### 7. Origin of Goods

Unless otherwise indicated in the <u>BDS</u>, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

#### 8. Subcontracts

- 8.1. Unless otherwise specified in the <u>BDS</u>, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the <u>BDS</u>. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must comply with the eligibility criteria and the documentary requirements specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

#### **B.** Contents of Bidding Documents

#### 9. Pre-Bid Conference

9.1. (a) If so specified in the **BDS**, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.

- (b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the **BDS**.
- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents discussed during the pre-bid conference.
- 9.3. Any statement made at the pre-bid conference shall not modify the terms of the Bidding Documents unless such statement is specifically identified in writing as an amendment thereto and issued as a Supplemental/Bid Bulletin.

#### 10. Clarification and Amendment of Bidding Documents

- 10.1. Bidders who have purchased the Bidding Documents may request for clarification on any part of the Bidding Documents for an interpretation. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the **BDS** at least ten (10) calendar days before the deadline set for the submission and receipt of bids.
- 10.2. Supplemental/Bid Bulletins may be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.3. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted on the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity concerned, if available. It shall be the responsibility of all Bidders who secure the Bidding Documents to inquire and secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with **ITB** Clause 23.

#### C. Preparation of Bids

#### 11. Language of Bid

The bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Entity, shall be written in English. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation in English certified by the appropriate embassy or consulate in the Philippines, in which case the English translation shall govern for purposes of interpretation of the bid.

#### 12. Documents Comprising the Bid: Eligibility and Technical Components

- 12.1. Unless otherwise indicated in the **BDS**, the first envelope shall contain the following eligibility and technical documents:
  - (a) Eligibility Documents -

#### Class "A" Documents:

- (i) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives, or any proof of such registration as stated in the **BDS**;
- (ii) Mayor's permit issued by the city or municipality where the principal place of business of the prospective bidder is located;
- (iii) Statement of all its ongoing and completed government and private contracts within the period stated in the **BDS**, including contracts awarded but not yet started, if any. The statement shall include, for each contract, the following:
  - (iii.1) name of the contract;
  - (iii.2) date of the contract;
  - (iii.3) kinds of Goods;
  - (iii.4) amount of contract and value of outstanding contracts;
  - (iii.5) date of delivery; and
  - (iii.6) end user's acceptance or official receipt(s) issued for the contract, if completed.
- (iv) Audited financial statements, stamped "received" by the Bureau of Internal Revenue (BIR) or its duly accredited and authorized institutions, for the preceding calendar year, which should not be earlier than two (2) years from bid submission;
- (v) Annual Income Tax Returns filed through Electronic Filing and Payment System (EFPS) and stamped "received" by the Bureau of Internal Revenue (BIR) or its duly accredited and authorized institutions;
- (vi) NFCC computation in accordance with **ITB** Clause 5.5;
- (vii) Tax Clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR; and

#### Class "B" Document:

(viii) If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide

by the provisions of the JVA in the instance that the bid is successful.

- (b) Technical Documents -
  - (i) Bid security in accordance with **ITB** Clause 18. If the Bidder opts to submit the bid security in the form of:
    - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
    - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;
  - (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; and
  - (iii) Sworn statement in accordance with Section 25.2(a)(iv) of the IRR of RA 9184 and using the form prescribed in Section VIII-Bidding Forms.

#### 13. Documents Comprising the Bid: Financial Component

- 13.1. Unless otherwise stated in the **BDS**, the financial component of the bid shall contain the following:
  - (a) Financial Bid Form, which includes bid prices and the bill of quantities and the applicable Price Schedules, in accordance with **ITB** Clauses 15.1 and 15.4;
  - (b) If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification from the DTI, SEC, or CDA issued in accordance with **ITB** Clause 27, unless otherwise provided in the **BDS**; and
  - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the **BDS**, all bids that exceed the ABC shall not be accepted.
  - (b) Unless otherwise indicated in the **BDS**, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
    - (i) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.
    - (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing

market prices, associated with the types of works or goods to be procured.

- (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.
- (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
- (v) The procuring entity has established a system to monitor and report bid prices relative to ABC and procuring entity's estimate. The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

#### 14. Alternative Bids

Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.

#### 15. Bid Prices

- 15.1. The Bidder shall complete the appropriate Price Schedules included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.
- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Bill of Quantities. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Bill of Quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) for the said item would mean that it is being offered for free to the Government.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.
- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - (a) For Goods offered from within the Procuring Entity's country:
    - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable:

- (i.1) on the components and raw material used in the manufacture or assembly of Goods quoted ex works or ex factory; or
- (i.2) on the previously imported Goods of foreign origin quoted ex warehouse, ex showroom, or off-the-shelf and any Procuring Entity country sales and other taxes which will be payable on the Goods if the contract is awarded.
- (ii) The price for inland transportation, insurance, and other local costs incidental to delivery of the Goods to their final destination.
- (iii) The price of other (incidental) services, if any, listed in the **BDS**.
- (b) For Goods offered from abroad:
  - (i) Unless otherwise stated in the <u>BDS</u>, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the <u>BDS</u>. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - (ii) The price of other (incidental) services, if any, listed in the **BDS**.
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to **ITB** Clause 24.

All bid prices shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Extraordinary circumstances refer to events that may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon the recommendation of the Procuring Entity. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

#### 16. Bid Currencies

- 16.1. Prices shall be quoted in the following currencies:
  - (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
  - (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the **BDS**. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 16.2. If so allowed in accordance with **ITB** Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the

amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.

16.3. Unless otherwise specified in the BDS, payment of the contract price shall be made in Philippine Pesos.

#### 17. Bid Validity

- 17.1. Bids shall remain valid for the period specified in the **BDS** which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.
- 17.2. In exceptional circumstances, prior to the expiration of the Bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in **ITB** Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

#### 18. Bid Security

18.1. The bid security in the amount stated in the **BDS** shall be equal to the percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Equal to Percentage of the ABC)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	
(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Two percent (2%)
(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%)
(d) Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security
(e) Bid Securing Declaration	No percentage required

For biddings conducted by LGUs, the Bidder may also submit bid securities in the form of cashier's/manager's check, bank draft/guarantee, or irrevocable letter of credit from other banks certified by the BSP as authorized to issue such financial statement.

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, from

receipt of the Notice of Award, and committing to pay the corresponding fine, and be suspended for a period of time from being qualified to participate in any government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.

- 18.2. The bid security should be valid for the period specified in the <u>BDS</u>. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a motion for reconsideration and/or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the bidder with the Lowest Calculated and Responsive Bid has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in **ITB** Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to **ITB** Clause 32, and the posting of the performance security pursuant to **ITB** Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the **ITB** Clause 18.2.
- 18.5. The bid security may be forfeited:
  - (a) if a Bidder:
    - (i) withdraws its bid during the period of bid validity specified in **ITB** Clause 17;
    - (ii) does not accept the correction of errors pursuant to **ITB** Clause 28.3(b);
    - (iii) fails to submit the requirements within the prescribed period or a finding against their veracity as stated in **ITB** Clause 29.2;
    - (iv) submission of eligibility requirements containing false information or falsified documents;
    - (v) submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
    - (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
    - (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the Lowest Calculated and Responsive Bid;
    - (viii) refusal or failure to post the required performance security within the prescribed time;

- (ix) refusal to clarify or validate in writing its bid during postqualification within a period of seven (7) calendar days from receipt of the request for clarification;
- (x) any documented attempt by a bidder to unduly influence the outcome of the bidding in his favor;
- (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
- (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.
- (b) if the successful Bidder:
  - (i) fails to sign the contract in accordance with **ITB** Clause 32; or
  - (ii) fails to furnish performance security in accordance with **ITB** Clause 33.

#### 19. Format and Signing of Bids

- 19.1. Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII-Bidding Forms on or before the deadline specified in the **ITB** Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12.1, and the second shall contain the financial component of the bid.
- 19.2. Forms as mentioned in **ITB** Clause 19.1 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 19.3. The Bidder shall prepare and submit an original of the first and second envelopes as described in **ITB** Clauses 12 and 13. In the event of any discrepancy between the original and the copies, the original shall prevail.
- 19.4. The bid, except for unamended printed literature, shall be signed, and each and every page thereof shall be initialed, by the duly authorized representative/s of the Bidder.
- 19.5. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

#### 20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in **ITB** Clause 12 in one sealed envelope marked "ORIGINAL TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. \_\_\_ TECHNICAL COMPONENT" and

"COPY NO. \_\_\_ - FINANCIAL COMPONENT" and the outer envelope as "COPY NO. \_\_\_", respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.

20.3. The original and the number of copies of the Bid as indicated in the **BDS** shall be typed or written in indelible ink and shall be signed by the bidder or its duly authorized representative/s.

#### 20.4. All envelopes shall:

- (a) contain the name of the contract to be bid in capital letters;
- (b) bear the name and address of the Bidder in capital letters;
- (c) be addressed to the Procuring Entity's BAC in accordance with **ITB** Clause 1.1;
- (d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.2; and
- (e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with **ITB** Clause 21.
- 20.5. If bids are not sealed and marked as required, the Procuring Entity will assume no responsibility for the misplacement or premature opening of the bid.

#### D. Submission and Opening of Bids

#### 21. Deadline for Submission of Bids

Bids must be received by the Procuring Entity's BAC at the address and on or before the date and time indicated in the **BDS**.

#### 22. Late Bids

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to **ITB** Clause 21, shall be declared "Late" and shall not be accepted by the Procuring Entity.

#### 23. Modification and Withdrawal of Bids

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed, properly identified, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- 23.2. A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids.

- 23.3. Bids requested to be withdrawn in accordance with **ITB** Clause 23.1 shall be returned unopened to the Bidders. A Bidder may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to **ITB** Clause 18.5, and the imposition of administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

#### 24. Opening and Preliminary Examination of Bids

- 24.1. The BAC shall open the first bid envelopes of Bidders in public as specified in the **BDS** to determine each Bidder's compliance with the documents prescribed in **ITB** Clause 12. For this purpose, the BAC shall check the submitted documents of each bidder against a checklist of required documents to ascertain if they are all present, using a non-discretionary "pass/fail" criterion. If a bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.2. Unless otherwise specified in the BDS, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in ITB Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.3. Letters of withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened. If the withdrawing Bidder's representative is in attendance, the original bid and all copies thereof shall be returned to the representative during the bid opening. If the representative is not in attendance, the bid shall be returned unopened by registered mail. The Bidder may withdraw its bid prior to the deadline for the submission and receipt of bids, provided that the corresponding Letter of Withdrawal contains a valid authorization requesting for such withdrawal, subject to appropriate administrative sanctions.
- 24.4. If a Bidder has previously secured a certification from the Procuring Entity to the effect that it has previously submitted the above-enumerated Class "A" Documents, the said certification may be submitted in lieu of the requirements enumerated in **ITB** Clause 12.1(a), items (i) to (v).

- 24.5. In the case of an eligible foreign Bidder as described in **ITB** Clause 5, the Class "A" Documents described in **ITB** Clause 12.1(a) may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned.
- 24.6. Each partner of a joint venture agreement shall likewise submit the requirements in **ITB** Clauses 12.1(a)(i) and 12.1(a)(ii). Submission of documents required under **ITB** Clauses 12.1(a)(iii) to 12.1(a)(vi) by any of the joint venture partners constitutes compliance.
- 24.7. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price, bid security, findings of preliminary examination; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.

#### E. Evaluation and Comparison of Bids

#### 25. Process to be Confidential

- 25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 26.
- 25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

#### 26. Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

#### 27. Domestic Preference

- 27.1. Unless otherwise stated in the **BDS**, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:
  - (a) The preference shall be applied when (i) the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder, or (ii) the lowest bid offered by a non-Philippine national is lower than the lowest bid offered by a Domestic Entity.
  - (b) For evaluation purposes, the lowest Foreign Bid or the bid offered by a non-Philippine national shall be increased by fifteen percent (15%).
  - (c) In the event that (i) the lowest bid offered by a Domestic Entity does not exceed the lowest Foreign Bid as increased, or (ii) the lowest bid offered by a non-Philippine national as increased, then the Procuring Entity shall award the contract to the Domestic Bidder/Entity at the amount of the

lowest Foreign Bid or the bid offered by a non-Philippine national, as the case may be.

- (d) If the Domestic Entity/Bidder refuses to accept the award of contract at the amount of the Foreign Bid or bid offered by a non-Philippine national within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid or the non-Philippine national, as the case may be, subject to post-qualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Entity subject to the certification from the DTI (in case of sole proprietorships), SEC (in case of partnerships and corporations), or CDA (in case of cooperatives) that the (a) sole proprietor is a citizen of the Philippines or the partnership, corporation, cooperative, or association is duly organized under the laws of the Philippines with at least seventy five percent (75%) of its interest or outstanding capital stock belonging to citizens of the Philippines, (b) habitually established in business and habitually engaged in the manufacture or sale of the merchandise covered by his bid, and (c) the business has been in existence for at least five (5) consecutive years prior to the advertisement and/or posting of the Invitation to Bid for this Project.
- 27.3. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

#### 28. Detailed Evaluation and Comparison of Bids

- 28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 24, in order to determine the Lowest Calculated Bid.
- 28.2. The Lowest Calculated Bid shall be determined in two steps:
  - (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
  - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.
- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. Unless otherwise specified in the **BDS**, the BAC shall consider the following in the evaluation of bids:
  - (a) <u>Completeness of the bid.</u> Unless the ITB specifically allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, bill of quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is

indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) for the said item would mean that it is being offered for free to the Procuring Entity; and

- (b) <u>Arithmetical corrections.</u> Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications, if allowed in the <u>BDS</u>. Any adjustment shall be calculated in monetary terms to determine the calculated prices.
- 28.4. Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.
- 28.5. The Procuring Entity's evaluation of bids shall only be based on the bid price quoted in the Financial Bid Form.
- 28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.

#### 29. Post-Qualification

- 29.1. The Procuring Entity shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid (LCB) complies with and is responsive to all the requirements and conditions specified in **ITB** Clauses 5, 12, and 13.
- 29.2. Within a non-extendible period of three (3) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following documentary requirements:
  - (a) Tax clearance per Executive Order 398, Series of 2005;
  - (b) Latest income and business tax returns in the form specified in the **BDS**;
  - (c) Certificate of PhilGEPS Registration; and
  - (d) Other appropriate licenses and permits required by law and stated in the **BDS**.

Failure of the Bidder declared as Lowest Calculated Bid to duly submit the requirements under this Clause or a finding against the veracity of such shall be ground for forfeiture of the bid security and disqualification of the Bidder for award.

29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion.

- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the Lowest Calculated Responsive Bid, and recommend to the Head of the Procuring Entity the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the Lowest Calculated Responsive Bid is determined for contract award.
- 29.6. Within a period not exceeding seven (7) calendar days from the date of receipt of the recommendation of the BAC, the Head of the Procuring Entity shall approve or disapprove the said recommendation. In the case of GOCCs and GFIs, the period provided herein shall be fifteen (15) calendar days.

#### 30. Reservation Clause

- 30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements. Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as ineligible and shall disqualify it from submitting a bid or from obtaining an award or contract.
- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a failure of bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
  - (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
  - (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
  - (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:
    - (i) If the physical and economic conditions have significantly changed so as to render the project no longer economically,

financially or technically feasible as determined by the head of the procuring entity;

- (ii) If the project is no longer necessary as determined by the head of the procuring entity; and
- (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
  - (a) No bids are received;
  - (b) All prospective Bidders are declared ineligible;
  - (c) All bids fail to comply with all the bid requirements or fail post-qualification; or
  - (d) The Bidder with the Lowest Calculated Responsive Bid (LCRB) refuses, without justifiable cause to accept the award of contract, and no award is made.

#### F. Award of Contract

#### 31. Contract Award

- 31.1. Subject to **ITB** Clause 29, the Procuring Entity shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award received personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
  - (a) Submission of the valid JVA, if applicable, within ten (10) calendar days from receipt by the Bidder of the notice from the BAC that the Bidder has the LCRB;
  - (b) Posting of the performance security in accordance with **ITB** Clause 33;
  - (c) Signing of the contract as provided in **ITB** Clause 32; and
  - (d) Approval by higher authority, if required.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI-Schedule of Requirements.

#### 32. Signing of the Contract

- 32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security and sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:
  - (a) Contract Agreement;
  - (b) Bidding Documents;
  - (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted;
  - (d) Performance Security;
  - (e) Credit line in accordance with **ITB** Clause 5.5, if applicable;
  - (f) Notice of Award of Contract; and
  - (g) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

#### 33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The performance security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount equal to the percentage of the total contract price in accordance with the following schedule:

Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)

(b) Bank draft/guarantee or irrevocable letter of credit issued	
by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Five percent (5%)
(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
(d) Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with re-advertisement.

#### 34. Notice to Proceed

- 34.1. Within three (3) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue its Notice to Proceed to the Bidder.
- 34.2. The contract effectivity date shall be provided in the Notice to Proceed by the Procuring Entity, which date shall not be later than seven (7) calendar days from the issuance of the Notice to Proceed.

# SECTION III BID DATA SHEETS

ITB Clause	
1.1	The Procuring Entity is Batangas State University
1.2	No further instructions.
2	The Funding Source is:
	The Government of the Philippines (GOP) in the amount of <b>One Million Nine Hundred Three Thousand Six Hundred Pesos Only (Php 1,903,600.00).</b>
	The name of the Project is <b>rocurement of Laboratory Equipment &amp; Software for CEAFA (Mechanical and Petroleum Engineering).</b>
	Theidentification number of the Project is BSU-Project N0. 2016- <u>176</u> .
3.1	No further instructions.
5.1	No further instructions.
5.2	Bidding is restricted to eligible bidders as defined in ITB Clause 5.1.
5.4	Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
5.5	No further instructions.
6.3	No further instructions.
7	No further instructions.
8.1	Subcontracting is not allowed.
8.2	Not applicable.
9.1	
	The Procuring Entity will hold a pre-bid conference for this Project on <i>May 20, 2016, 1:00 PM</i> .
	BAC Office Ground Floor, CITE Building Batangas State University, GPB Campus I Rizal Avenue Extension, BatangasCity
10.1	The Procuring Entity's address is:
	2 <sup>nd</sup> Floor, CITE Building, Batangas State University, GPB Campus I

	Rizal Avenue Extension, BatangasCity
	Dr. Tirso A. Ronquillo University President Tel. No.(043) 723-0339 / 980-0385 local 1546
12.1	No further instructions.
12.1(a)(i)	No other acceptable proof of registration is recognized.
12.1(a)(iii)	The statement "covers all ongoing and completed government and private contracts" shall include all such contracts within <i>three (3) years</i> prior to the deadline for the submission and receipt of bids, including contracts awarded but not yet started, if any. The value of the prospective Bidder's largest contract, adjusted to current price index must be at least fifty percent (50%) of the ABC/Sub ABC in order to be eligible to bid for the project.
13.1	No additional requirements.
13.2	The Total ABC is <b>One Million Nine Hundred Three Thousand Six Hundred Pesos Only (Php 1,903,600.00).</b>
	Any bid with a financial component exceeding this amount shall not be accepted.
15.4(a)(iii)	No incidental services are required.
15.4(a)(iii)	Not applicable
	No incidental services are required.
15.5	Bid Prices shall be fixed. Adjustable price proposals shall be treated as non-responsive and shall be rejected.
15.6	Extraordinary circumstances refer to events that may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon the recommendation of the Procuring Entity.
16.1(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
16.3	No further instructions.
17.1	Bid validity period is <i>One Hundred Twenty (120) calendar days</i> from the date of opening of bids.
18.1	The bid security shall be in the following amount:
	1. <b>Two (2%) of the ABC</b> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;
	2. <i>Five (5%) of the ABC</i> if bid security is in Surety Bond; or
	3. Any combination of the foregoing proportionate to the share

	of form with respect to total amount of security.
	4. Bid Securing Declaration (Use BatStateU Goods Form No. 5c)
18.2	The validity period for bid security is One Hundred twenty (120) calendar days from the date of opening of bid.
20.3	Each Bidder shall submit <i>one</i> (1) original and <i>two</i> (2) copies of the first and second components of its bid.
21	The address for submission of bids is
	BAC Office Ground Floor, CITEBuilding Batangas State University, GPB Campus I Rizal Avenue Extension, BatangasCity
	The deadline for submission of bids is 1:00 to 2:00 PM, June 1, 2016.
24.1	The place of bid opening is
	BAC Office Ground Floor, CITEBuilding Batangas State University, GPB Campus I Rizal Avenue Extension, BatangasCity
	The date and time of bid opening is 2:00PM, June 1, 2016.
24.2	No further instructions.
27.1	No further instructions.
28.3	The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
28.3(b)	Bid modification in whatever form is not allowed.
28.3	No further instructions.
29.2(a)	No further instructions.
29.2(b)	Not applicable
29.2(d)	No other licenses required.
32.4(g)	No other contract documents needed.

# SECTION IV GENERAL CONDITIONS OF THE CONTRACT

## **TABLE OF CONTENTS**

1.	DEFINITIONS	3
2.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES	3
3.	INSPECTION AND AUDIT BY THE FUNDING SOURCE	5
4.	GOVERNING LAW AND LANGUAGE	5
<b>5</b> .	NOTICES	5
6.	SCOPE OF CONTRACT	5
7.	SUBCONTRACTING	5
8.	PROCURING ENTITY'S RESPONSIBILITIES	6
9.	PRICES	6
<b>10.</b>	PAYMENT	6
11.	ADVANCE PAYMENT AND TERMS OF PAYMENT	7
<b>12.</b>	TAXES AND DUTIES	7
<b>13.</b>	PERFORMANCE SECURITY	7
14.	USE OF CONTRACT DOCUMENTS AND INFORMATION	8
<b>15.</b>	STANDARDS	8
<b>16.</b>	INSPECTION AND TESTS	8
<b>17.</b>	WARRANTY	9
18.	DELAYS IN THE SUPPLIER'S PERFORMANCE	.10
19.	LIQUIDATED DAMAGES	.10
20.	SETTLEMENT OF DISPUTES	.10
21.	LIABILITY OF THE SUPPLIER	.11
22.	Force Majeure	.11
23.	TERMINATION FOR DEFAULT	.11
24.	TERMINATION FOR INSOLVENCY	.12
25.	TERMINATION FOR CONVENIENCE	.12

<b>26.</b>	TERMINATION FOR UNLAWFUL ACTS	13
27.	PROCEDURES FOR TERMINATION OF CONTRACTS	13
28.	ASSIGNMENT OF RIGHTS	14
29.	CONTRACT AMENDMENT	14
30.	APPLICATION	14

#### 1. Definitions

- 1.1. In this Contract, the following terms shall be interpreted as indicated:
  - (a) "The Contract" means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
  - (c) "The Goods" means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
  - (d) "The Services" means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
  - (e) "GCC" means the General Conditions of Contract contained in this Section.
  - (f) "SCC" means the Special Conditions of Contract.
  - (g) "The Procuring Entity" means the organization purchasing the Goods, as named in the **SCC**.
  - (h) "The Procuring Entity's country" is the Philippines.
  - (i) "The Supplier" means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the **SCC**.
  - (j) The "Funding Source" means the organization named in the **SCC**.
  - (k) "The Project Site," where applicable, means the place or places named in the **SCC**.
  - (l) "Day" means calendar day.
  - (m) The "Effective Date" of the contract will be the date of receipt by the Supplier of the Notice to Proceed or the date provided in the Notice to Proceed. Performance of all obligations shall be reckoned from the Effective Date of the Contract.
  - (n) "Verified Report" refers to the report submitted by the Implementing Unit to the Head of the Procuring Entity setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

### 2. Corrupt, Fraudulent, Collusive, and Coercive Practices

2.1. Unless otherwise provided in the <u>SCC</u>, the Procuring Entity as well as the bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:

- (a) defines, for the purposes of this provision, the terms set forth below as follows:
  - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
  - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
  - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, noncompetitive levels.
  - (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
  - (v) "obstructive practice" is
    - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or
    - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.

2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in **GCC** Clause 2.1(a).

#### 3. Inspection and Audit by the Funding Source

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

#### 4. Governing Law and Language

- 4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

#### 5. Notices

- 5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the **SCC**, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.
- 5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the **SCC** for **GCC** Clause 5.1.

## 6. Scope of Contract

- 6.1. The GOODS and Related Services to be provided shall be as specified in Error! Reference source not found.
- 6.2. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the <u>SCC</u>.

## 7. Subcontracting

7.1. Subcontracting of any portion of the Goods, if allowed in the **BDS**, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.

7.2. Subcontractors disclosed and identified during the bidding may be changed during the implementation of this Contract, subject to compliance with the required qualifications and the approval of the Procuring Entity.

## 8. Procuring Entity's Responsibilities

- 8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with **GCC** Clause 6.

#### 9. Prices

- 9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.
- 9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any change in price resulting from a Change Order issued in accordance with **GCC** Clause 29.

## 10. Payment

- 10.1. Payments shall be made only upon a certification by the Head of the Procuring Entity to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in **GCC** Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the <u>SCC</u> provision for <u>GCC</u> Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract.
- 10.3. Pursuant to **GCC** Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier.
- 10.4. Unless otherwise provided in the SCC, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.

## 11. Advance Payment and Terms of Payment

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. For Goods supplied from abroad, the terms of payment shall be as follows:
  - (a) On Contract Signature: Ten percent (10%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.
  - (b) On Delivery: Seventy percent (70%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the <u>SCC</u> provision on Delivery and Documents.
  - (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.
- 11.3. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.

#### 12. Taxes and Duties

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

## 13. Performance Security

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the **ITB** Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.

- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
  - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;
  - (b) The Supplier has no pending claims for labor and materials filed against it: and
  - (c) Other terms specified in the **SCC**.
- 13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

#### 14. Use of Contract Documents and Information

- 14.1. The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2. Any document, other than this Contract itself, enumerated in **GCC** Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

#### 15. Standards

The Goods provided under this Contract shall conform to the standards mentioned in the **Error! Reference source not found.**; and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

## 16. Inspection and Tests

- 16.1. The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The <u>SCC</u> and <u>Error!</u> Reference source not found. shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the

- Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.
- 16.3. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to **GCC** Clause 5.
- 16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

#### 17. Warranty

- 17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the SCC. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least ten percent (10%) of the final payment, or a special bank guarantee equivalent to at least ten percent (10%) of the Contract Price or other such amount if so specified in the SCC. The said amounts shall only be released after the lapse of the warranty period specified in the SCC: provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the **SCC** and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- 17.5. If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in **GCC** Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract and under the applicable law.

## 18. Delays in the Supplier's Performance

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in **Section VI-Schedule of Requirements**.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under **GCC** Clause 22, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.
- 18.3. Except as provided under **GCC** Clause 22, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to **GCC** Clause 19, unless an extension of time is agreed upon pursuant to **GCC** Clause 29 without the application of liquidated damages.

## 19. Liquidated Damages

Subject to **GCC** Clauses 18 and 22, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity shall rescind the Contract pursuant to **GCC** Clause 23, without prejudice to other courses of action and remedies open to it.

## 20. Settlement of Disputes

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.

- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

## 21. Liability of the Supplier

- 21.1. The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the **SCC**.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

## 22. Force Majeure

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier's delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the Contractor could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Contractor. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the *force majeure*.

#### 23. Termination for Default

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
  - (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request

- made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contact price;
- (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
- (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under **GCC** Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

## 24. Termination for Insolvency

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

#### 25. Termination for Convenience

- 25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The Head of the Procuring Entity may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.
- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:
  - (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or
  - (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.

25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a *quantum meruit* basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

#### 26. Termination for Unlawful Acts

- 26.1. The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:
  - (a) Corrupt, fraudulent, and coercive practices as defined in **ITB** Clause **Error! Reference source not found.**;
  - (b) Drawing up or using forged documents;
  - (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
  - (d) Any other act analogous to the foregoing.

#### 27. Procedures for Termination of Contracts

- 27.1. The following provisions shall govern the procedures for termination of this Contract:
  - (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;
  - (b) Upon recommendation by the Implementing Unit, the Head of the Procuring Entity shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:
    - (i) that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
    - (ii) the extent of termination, whether in whole or in part;
    - (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
    - (iv) special instructions of the Procuring Entity, if any.
  - (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
  - (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the Head of the Procuring Entity a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven

- (7) day period, either by inaction or by default, the Head of the Procuring Entity shall issue an order terminating this Contract;
- (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
- (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the Head of the Procuring Entity shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate;
- (g) The Head of the Procuring Entity may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the Head of the Procuring Entity; and
- (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

## 28. Assignment of Rights

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

#### 29. Contract Amendment

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

## 30. Application

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

# SECTION V SPECIAL CONDITIONS OF THE CONTRACT

GCC Clause	
1.1(g)	The Procuring Entity is <b>Batangas State University</b>
1.1(i)	The Supplier is
1.1(j)	The Funding Source is:
	The Government of the Philippines (GOP) through the <b>One Million Nine Hundred Three Thousand Six Hundred Pesos Only (Php 1,903,600.00))</b> .
1.1(k)	The Project Site is
	Batangas State University Various Offices/Colleges
5.1	The Procuring Entity's address for Notices is:
	Dr. Tirso A. Ronquillo
	University President Batangas State University
	International Affairs Office, GPB Main Campus I
	Batangas City
	The Supplier's address for Notices is:
6.2	Delivery and Documents -
	The delivery terms applicable to this Contract are delivered to <b>Batangas State University</b> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI-Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:
	For Goods supplied from within the Philippines:
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:
	(i) Original and copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
	(ii) Original and copies delivery receipt/note, railway receipt,

or truck receipt;

- (iii) Original Supplier's factory inspection report;
- (iv) Original and copies of the Manufacturer's and/or Supplier's warranty certificate;
- (v) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;
- (vi) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
- (vii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is the Asst. Director for Supply & Property Management Office, **MR. MARIO EBORA..** 

#### **Incidental Services -**

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI-Schedule of Requirements:

Select appropriate requirements and delete the rest.

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Patent Rights -

	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.4	Not applicable
13.4(c)	No further instructions.
16.1	The inspections and tests that will be conducted are: Checking based on the required specifications.
17.3	One (1) year after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is <i>fifteen (15) days.</i>
21.1	No additional provision.

## **SECTION VI**

## **SCHEDULE OF REQUIREMENTS**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of de livery to the project site.

Item No.	Specifications	QTY.	Delivery Days/Weeks
1.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> </ul>	36 units	30 calendar days
2.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> <li>With DVD Writer</li> </ul>	1 unit	30 calendar days
3.	PRINTER (Lipa Campus, Extension Services, Health Services, Health Services - Rosario Campus, CIT)  • Printing  → Print Method: On-demand ink jet  → Nozzle Configuration: 180 nozzles Black, 59 nozzles each colour (Cyan, Magenta, Yellow)  → Print Direction: Bi-directional printing, Uni- directional printing  → Maximum Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology)  → Minimum Ink Droplet Volume: 3pl  • Print Speed  → Max Black Draft Text - Memo (A4): Approx.	14 units	30 calendar days

Didding Do	ruments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		1
	27 ppm / 15 ppm (Bk/Cl)		
	→ ISO 24734, A4: Approx. 6.0 ipm / 3.0 ipm		
	(Bk/Cl))		
	→ Max Photo Draft - 10x15cm/4x6": Approx.		
	27 sec per photo (W/Border)		
	→ Photo Default - 10x15cm/4x6": Approx. 69		
	sec per photo (W/Border)		
	<ul> <li>Copying</li> </ul>		
	→ Copy Speed		
	→ Max. Black Draft Text - Memo (A4): Approx.		
	5 sec (Draft)		
	→ Max. Colour Draft Text - Memo (A4):		
	Approx. 10 sec (Draft)		
	Copy Mode Standard copy mode		
	<ul> <li>Maximum Copies From Standalone 20 sheets</li> </ul>		
	(fixed)		
	Scanning		
	→ Scanner Type: Flatbed colour image		
	scanner		
	Sensor Type: CIS		
	→ Optical Resolution 600 x 1200 dpi		
	→ Maximum Scan Area 216 x 297mm (8.5 x		
	11.7")		
	Scanner Bit Depth		
	<ul><li>Colour: 48-bit internal, 24-bit external</li></ul>		
	Grayscale: 16-bit internal, 8-bit external		
	♣ Black & White: 16-bit internal, 1-bit		
	external		
	→ Scan Speed		
	Monochrome 300 dpi: 2.4 msec/line		
	♣ Colour 300 dpi: 9.5 msec/line		
	<ul><li>Monochrome 600 dpi: 7.2 msec/line</li></ul>		
	♣ Colour 600 dpi: 14.3 msec/line		
	Colour ood upi. 14.5 msec/mie		
	PRINTER (RESEARCH)		
	• Functions: Print, Copy, Scan, Photo		
	<ul> <li>Printing Specifications:</li> </ul>		
	→ Print speed black:		
	♣ ISO: Up to 8.8 ppm		
	♣ Draft: Up to 21 ppm		
	→ Print Speed Color:		
	↓ ISO: Up to 5.2 ppm		
	· • • • • • • • • • • • • • • • • • • •		
	♣ Draft: Up to 17 ppm ♣ First page out (ready)		30 calendar
4.	<ul><li>→ First page out (ready)</li><li>↓ Black: As fast as 19 sec</li></ul>	4 units	
	Color: As fast as 19 sec     Color: As fast as 24 sec		days
	→ Duty cycle (monthly, A4) ↓ Up to 1000 pages		
	↓ Up to 1000 pages     Pacommonded monthly page volume		
	<ul><li>Recommended monthly page volume</li><li>300 to 400</li></ul>		
	→ Print Technology: Thermal Inkjet		
	→ Print rechnology: Thermal Inkjet → Printer quality (best)		
	← Color: Up to 4800 x 1200 optimized		
	dpi color (when printing from a		
	upi coloi (when printing from a		

- computer on selected photo papers and 1200 input dpi)
- ♣ Black: Up to 1200 x 600 rendered dpi (when printing from a computer)
- → Display: 5 cm (2.0") Hi-Res Mono LCD
- → Processor Speed: 360 MHz
- Number of print cartridges: 2 total, 1 black, 1 tri color cyan, magenta, yellow)

### Connectivity

- → Wireless Capability: Yes
- Connectivity Standard: 1 Hi-Speed USB 2.0 1 WiFi 802.11n
- Minimum System Requirements: Windows 8, 7:1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows XP SP3 or higher (32-bit only): Intel®Pentium® II, Celeron® or 233 MHz compatible processor, 750 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6.
- → Mac OS X v. 10.6, OS X Lion, OS X Mountain
  Lion
- **→** Intel® Core<sup>™</sup> Processor
- → 1 GB HD
- → CD-ROM/DVD or Internet
- **→** USB

#### • Memory Specifications

→ Memory, standard: 32 MB DDR1 memory

#### Paper Handling

- Paper handling input, standard: Up to 100 sheets
- Paper handling output, standard: 30-sheet output tray

#### • Duplex Printing:

- Automatic (standard): Media sizes supported (A4, A5, B5, DL, C6, A6)
- → Media sizes (custom): 76 x 127 to 216 x 356mm

Media types: Paper (plain, inkjet, photo), envelopes, cards, iron-on transfers, borderless media

Barcode scanner: 20 lb

Media weights, supported: 64 to 90 g/m<sup>2</sup>

#### Scanner specifications

- → Scanner type: Flatbed
- → Scan file format: PDF, BMP, PNG, TIF, JPG
- Scan resolution (optical): Up to 1200 dpi
- → Bit depth: 24-bit
- Scan size (flatbed), maximum: 216 x 297mm
- Scan input methods: Front panel scan, Front panel copy
- Copier Specifications
  - → Copy resolution (black test): 600 x 600 dpi

Bidding Do	ruments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Copy resolution (color text and graphics):		
	600 x 1200 dpi		
	→ Copy reduce/enlarge settings: 25 to 400%		
	→ Copies, maximum: Up to 50 copies		
	<ul> <li>Power and operating requirements</li> </ul>		
	→ Power: 100-240 V (+/-10%), 50/60 Hz		
	(+/-3 Hz)		
	→ Power Consumption: 13.07 watts		
	(printing, 2.51 watts (ready), 0.70 watts		
	(sleep), 0.20 watts (off)		
	◆ Operating temperature range: 5 to 40°C		
	→ Operating Humidity Range: 20 to 80% RH		
	<ul> <li>Dimensions and weight</li> </ul>		
	$\rightarrow$ Minimum dimensions (W x D x H) : 445 x		
	334 x 120mm		
	$\rightarrow$ Maximum dimensions (W x D x H) : 445 x		
	608 x 390mm		
	→ Weight: 5.49 kg		
	→ Package weight: 6.43 kg		
	PRINTER (OSAS)		
	I MITTER (OSAS)		
	• Functions: Print, copy, scan		
	T unctions. Time, copy, scan		
	PRINTING SPECIFICATIONS:		
	Print speed black:		
	→ ISO: Up to 7 ppm[1]		
	→ Draft: Up to 20 ppm		
	Print speed color:		
	→ ISO: Up to 4 ppm[1]		
	→ Draft: Up to 16 ppm		
	First page out (ready)		
	→ Black: As fast as 17 sec		
	Color: As fast as 24 sec		
	Duty cycle (monthly, A4): Up to 1000 pages		
	<ul> <li>Number of print cartridges: 2 (1 black, 1 Tri-</li> </ul>		
	• Number of print cartridges: 2 (1 black, 1 fri-		
5.	COIOI J	5 units	30 calendar
Э.	CONNECTIVITY	5 uiiits	days
	COMMECTIVITI		
	<ul> <li>Connectivity, standard: 1 Hi-Speed USB 2.0</li> </ul>		
	dominectivity, standard. I in Speed 030 2.0		
	PAPER HANDLING		
	<ul> <li>Paper handling input, standard: 60-sheet input</li> </ul>		
	tray		
	<ul> <li>Paper handling output, standard: 25-sheet</li> </ul>		
	output tray		
	<ul> <li>Duplex printing:Manual (driver support</li> </ul>		
	provided)		
	<ul> <li>Media sizes supported: A4, B5, A6, DL envelope</li> </ul>		
	<ul> <li>Media sizes supported: 714, B3, 716, B2 clivelope</li> <li>Media sizes custom: 89 x 127 to 215 x 279 mm</li> </ul>		
	<ul> <li>Media sizes custom: 67 x 127 to 213 x 277 mm</li> <li>Media types: Paper (brochure, inkjet, plain),</li> </ul>		
	photo paper, envelopes, labels, cards (greeting)		
	Barcode scanner: 20 lb		
	Media weights, supported:		
	A4: 60 to 90 g/m <sup>2</sup> ; HP envelopes: 75 to 90 g/m <sup>2</sup> ;		
	A4: 00 to 90 g/III; nr elivelopes: 75 to 90 g/m <sup>-</sup> ;		

idding Do	ocuments	(Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
		HP cards: up to $200 \text{ g/m}^2$ ; HP $10 \times 15 \text{ cm}$ photo paper: up to $300 \text{ g/m}^2$		
		SCANNER SPECIFICATIONS		
		Scanner type: Flatbed		
		Scan file format: JPEG, TIFF, PDF, BMP, PNG		
	•	Scan resolution, optical: Up to 1200 dpi		
	•	Bit depth: 24-bit		
	•	Scan size (flatbed), maximum: 216 x 297 mm		
	•	Scan input modes: Front-panel scan		
		COPIER SPECIFICATIONS		
	•	Copy resolution (black text): Up to 600 x 300 dpi		
	•	Copy resolution (color text and graphics): Up to		
		600 x 300 dpi		
	•	Copies, maximum: Up to 9 copies		
	PRIN	TER (SAN JUAN CAMPUS)		
	•	Printing Technology		
		→ Print Method: Impact dot matrix		
		→ Number of Pins in Head: 24 pins		
		→ Print Direction: Bi-direction with logic		
		seeking		
		→ Control Code: ESC/P2 and IBM PPDS		
		emulation		
	•	Print Speed		
		→ High Speed Draft10/12 cpi: 347 / 416 cps		
		→ Draft10/12/15 cpi: 260 / 312 / 390 cps		
		→ Draft Condensed17/20 cpi: 222 / 260 cps		
		→ LQ10/12/15 cpi: 86 / 103 / 129 cps		
6.		→ LQ Condensed17/20 cpi: 147 / 172 cps		30 calendar
О.		Print Characteristics	2 units	days
	•	→ Character Sets: Italic table, PC437 (US		
		Standard Europe), PC850 (Multilingual),		
		PC860 (Portuguese), PC861 (Icelandic),		
		PC863 (Canadian-French), PC865 (Nordic),		
		Abicomp, BRASCII, Roman 8, ISO Latin 1, PC		
		858, ISO 8859-15		
	•	Ribbon Cartridge		
		→ Standard: Fabric Ribbon Cartridge		
		(Black)		
		Ribbon Life: Approx. 2.5 million		
		characters (Draft 10cpi, 48		
		dots/character)		
		Acoustic Noise: Approx. 53dB(A)		
	PRIN	(ISO 7779 pattern) TER (BAC Office)		
	•	Functions: Print		
	•	First page out (ready) black: As fast as 5.6 sec		30 calendar
7.	•	Monthly duty cycle: Up to 80,000 pages	1 unit	days
	•	Recommended monthly page volume: 750 to 4000		uays
	•	Print Technology: Laser		
		Time recimiology, Baser		<u> </u>

Bidding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		<u> </u>
	Display: 2-line backlit LCD graphic display		
	Processor speed: 1200 MHz		
	<ul> <li>Number of print cartridges: 1 (black)</li> </ul>		
	Replacement cartridges		
	Print languages		
	Automatic paper sensor: No		
	Paper trays, standard: 2		
	Paper trays, maximum: 3		
	Mobile Printing Capability		
	Connectivity, standard: 1 Hi-Speed USB 2.0; 1		
	Host USB; 1 Gigabit Ethernet 10/100/1000T		
	network		
	Network ready: Standard (built-in Gigabit  Tell  Tell		
	Ethernet)		
	Ports: 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit  Fith arm at 10 /100 /1000T naturally.		
	<ul> <li>Ethernet 10/100/1000T network</li> <li>Paper handling input, standard: 100-sheet</li> </ul>		
	multipurpose Tray 1, 250-sheet input Tray 2		
	<ul> <li>Paper handling output, standard: 150-sheet</li> </ul>		
	output bin		
	Duplex printing: Automatic(standard)		
	Finished output handling: Sheetfed		
	PRINTER (CAS)		
	• 180 Nozzles Black, 59 Nozzles per Color		
	Minimum Droplet Size: 3pl		
	• Printing Resolution: 5,760 x 1,440 DPI		
	All-in-One Functions		
	<ul> <li>Printing Speed6 Pages/min Monochrome, 3</li> </ul>		
0	Pages/min Color	3 sets	30 calendar
8.	<ul> <li>Printing Speed: 69 seconds</li> </ul>	5 sets	days
	Scanner Type: Contact Image Sensor (CIS)		
	Duplex: Manual		
	Output Tray Capacity: 30 sheets		
	Paper Tray Capacity: 50 Sheets Standard, 50		
	Sheets		
	Maximum: 10 Photo Sheets		
	LCD PROJECTOR WITH SCREEN (Extension Services)		
	Native Pecclution: SVCA 900 600		
	<ul> <li>Native Resolution: SVGA 800 x 600</li> <li>Maximum Resolution: WUXGA 1920 x 1200</li> </ul>		
	Maximum Resolution: WOXGA 1920 x 1200     Brightness		
	◆ Normal Mode: 3200 Lumens		
	Eco Mode: 2500 Lumens		
	• Lamp Life:		
	Normal Mode: 3500 hours	4 :	30 calendar
9.	→ Eco Mode: 5000 hours	1 unit	days
	Lamp power: 230W UHP		
	• Contrast Ratio: 3000:1		
	Colours Wheel: 6 Segment, 2x Speed		
	<ul> <li>Input Sources: HDMI 1.4,VGA x 2,Composite</li> </ul>		
	Video,S-Video,3.5mm stereo input,RS232C,USB B		
	Mini (control & firmware)		
	Output Sources: Monitor out ( VGA), Audio out		
	(3.5mm)		
	Control: Projector Keypad,IR Remote,RS232,USB		

Bidding Doo	cuments	(Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
		Mini for mouse		
	•	Audible Noise: 30 dB Normal Mode (28 dB Eco		
		Mode)		
	•	Computer Compatibility: PC, MAC		
	•	Projector Offset: 130% + 5%		
	•	Lens Type: Manual zoom and focus		
	•	Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)		
	•			
	•	Number of Colours: 16.7 million		
	•	Aspect Ratio: 4:3 (Native),Support		
		16:9,16:10,Auto		
	•	Synch - Horizontal Scan Freg: 31 - 100kHz		
	•	Vertical Scan Freg: 50-120Hz		
	•	Video Compatibility: SDTV		
		(NTSC,PAL,SECAM,480i,576i),ED/HDTV		
		(480p,576p,720p,1080i,1080p)		
	•	Audio: 2W mono		
	•	Product Dimensions: 284 x 235x 70mm(WxDxH)		
	•	Product Weight: .17kg (Estimated)		
	•	Shipping Dimensions: 330 x 330x150mm		
		(WxDxH)		
	•	Shipping Weight: 3.67Kg (Estimated)		
	•	Maximum Altitute: 3,048m		
	•	Operating Temperature: 5- 35C		
	•	Remote Control: Full Function (No Laser)		
	•	Security Features: Security lock slot, Security bar,		
		User PIN		
	•	Ships with Accessories: Power cord, VGA		
		cable, Safety instructions, User manual, Remote		
		control		
	LCD F	PROJECTOR (Research, CONAHS)		
		Nation Decelution CVCA 000 C00		
	•	Native Resolution: SVGA 800 x 600		
	•	Maximum Resolution: WUXGA 1920 x 1200		
	•	Brightness		
		Normal Mode: 3200 Lumens		
		Eco Mode: 2500 Lumens		
	•	Lamp Life:  → Normal Mode: 3500 hours		
		Eco Mode: 5000 hours		
		Lamp power: 230W UHP		
		Contrast Ratio: 3000:1		
10.		Colours Wheel: 6 Segment, 2x Speed	5 units	30 calendar
10.		Input Sources: HDMI 1.4,VGA x 2,Composite	J units	days
	•	Video,S-Video,3.5mm stereo input,RS232C,USB B		
		Mini (control & firmware)		
	•	Output Sources: Monitor out ( VGA), Audio out		
		(3.5mm)		
	•	Control: Projector Keypad, IR Remote, RS232, USB		
		Mini for mouse		
	•	Audible Noise: 30 dB Normal Mode ( 28 dB Eco		
		Mode)		
	•	Computer Compatibility: PC, MAC		
	•	Projector Offset: 130% + 5%		
	•	Lens Type: Manual zoom and focus		

Bidding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	• Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)		
	• Zoom Ratio: 1.1:1		
	<ul> <li>Number of Colours: 16.7 million</li> </ul>		
	<ul> <li>Aspect Ratio: 4:3 (Native),Support</li> </ul>		
	16:9,16:10,Auto		
	<ul> <li>Synch - Horizontal Scan Freg: 31 - 100kHz</li> </ul>		
	<ul> <li>Vertical Scan Freg: 50-120Hz</li> </ul>		
	<ul> <li>Video Compatibility: SDTV</li> </ul>		
	(NTSC,PAL,SECAM,480i,576i),ED/HDTV		
	(480p,576p,720p,1080i,1080p)		
	Audio: 2W mono		
	<ul> <li>Product Dimensions: 284 x 235x 70mm(WxDxH)</li> </ul>		
	<ul> <li>Product Weight: .17kg (Estimated)</li> </ul>		
	<ul> <li>Shipping Dimensions: 330 x 330x150mm</li> </ul>		
	(WxDxH)		
	<ul> <li>Shipping Weight: 3.67Kg (Estimated)</li> </ul>		
	Maximum Altitute: 3,048m		
	Operating Temperature: 5- 35C		
	Remote Control: Full Function ( No Laser)		
	<ul> <li>Security Features: Security lock slot, Security bar,</li> </ul>		
	User PIN		
	Ships with Accessories: Power cord, VGA		
	cable, Safety instructions, User manual, Remote		
	control		
	LAPTOP (RESEARCH)		
	<ul> <li>Operating System: Windows 8.1</li> </ul>		
	• CPU: Intel Core i7-4510U Processor 2.0 Ghz		
	<ul> <li>RAM and Hard Disk Drive (HDD): 8 GB RAM and</li> </ul>		
	1TB HDD		
11.	<ul> <li>Graphics: 2 GB AMD Radeon HD R7 M265</li> </ul>	1 unit	30 calendar
11.	<ul> <li>Memory and expandability options: 1 TB HDD</li> </ul>	1 unit	days
	<ul> <li>Connectivity options: Wireless LAN 802.11 b/g</li> </ul>		
	<ul> <li>Camera resolution (MP): HD webcam</li> </ul>		
	<ul> <li>Battery type and charge (mAh): 6-cell Battery</li> </ul>		
	<ul> <li>Optical drive(CD): DVD+/-RW</li> </ul>		
	Power Consumption: 220V/60 Hz		
	LAPTOP (CONAHS)		
	Operating System: Windows 8.1 Pro, Windows		
	8.1		
	Memory: DDR3 MHz SDRAM, up to 8 G      Memory: DDR3		
	• Display: 14.0" Auto HD (1366x768)		
	• Storage: 2.5" SATA		
	320GB HDD 5400 RPM		
	500GB HDD 5400 RPM		
42	750GB HDD 5400 RPM	1'	30 calendar
12.	1TB HDD 5400 RPM	1unit	days
	Optical Drive: Super-Multi DVD     Cord Boodow gord reader (SD SDUC)		
	Card Reader: card reader (SD SDHC)  Card Reader: Card reader (SD SDHC)		
	Camera: VGA Web Camera  Note and incomplete the Camera		
	Networking: Integrated 802.11 b/g/n  10/100 Bare T		
	10/100 Base T		
	BT 4.0 support (on WLAN+ BT 4.0		
	combo card)		
	• Interface: 1 x COMBO audio jack		
	1 x VGA port/Mini D-sub 15-pin for		

Didding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	1	1
	external monitor		
	1 x USB 3.0 port(s)		
	1 x USB 2.0 port(s)		
	1 x RJ45 LAN Jack for LAN insert		
	1 x HDMI		
	1 x Display Port		
	Power Adapter		
	→ Output :19 V DC, 1.75 A, 33 W		
	→ Input :100 -240 V AC, 50/60 Hz universal		
	NOTEBOOK COMPUTER (IAU)		
	<ul><li>1.6 MHz, Processor Speed; 1-2 GB RAM; 10.1"</li></ul>		
13.	Display; 500 MB HDD; Graphics; Integrated;	1 unit	30 calendar
13.	Built-in Microphone and Webcam; Touchpad;	1 unit	days
	MMC/SD; Battery: Lithium Ion; Interfaces: USB,		
	Audio, Video, Ethernet, Latest Windows OS, etc.		
	PROJECTOR (BALAYAN CAMPUS)		
	• Display system: 3 LCD system		
	<ul> <li>Display device - Size of effective display area:</li> </ul>		
	0.63" (16.0 mm)		
	• Display device - Number of pixels: XGA (1024 x		
	768)		
	• Display device - Aspect ratio: 4:3		
	<ul> <li>Projection lens – Focus: Manual</li> </ul>		
	<ul> <li>Projection lens - Zoom &gt; Powered / Manual:</li> </ul>		
	Manual		
	<ul> <li>Projection lens - Throw ratio: 1.40:1 to</li> </ul>		
	2.27:1		
	<ul> <li>Light source – Type: Lamp</li> </ul>		
	<ul> <li>Light source Wattage: 210 W type</li> </ul>		
	• Screen size: 30" to 300"		
	• Screen size: (0.76 m to 7.62 m)		
	<ul> <li>Light output: Lamp mode: High: 3700 lm</li> </ul>		
	• Light output : Lamp mode: Standard: 2700		
	lm		30 calendar
14.	<ul> <li>Light output: Lamp mode: Low 2100 lm</li> </ul>	2 units	
	• Color light output : Lamp mode High: 3700		days
	lm		
	• Color light output : Lamp mode Standard: 2700		
	lm(The values are estimatel)		
	• Color light output : Lamp mode: Low: 2100		
	lm(The values are estimatel)		
	<ul> <li>Contrast ratio (full white / full black)(This value</li> </ul>		
	is average) 3000:1		
	<ul> <li>Input : Composite video &gt; Pin Jack 1</li> </ul>		
	<ul><li>Input: S video &gt; Mini DIN 4-pin 1</li></ul>		
	• Input: Computer > Mini D-sub 15-pin 2		
	Output : Monitor > Mini D-sub 15-pin		
	1(From INPUT A and INPUT B)		
	• I/O, Control, Others : RS-232C > D-sub 9-pin		
	1 (male)		
	• I/O, Control, Others : LAN > RJ-45, 10BASE-		
	T/100BASE-TX 1		
	• I/O, Control, Others : IR (Control S) input >		
	Stereo mini jack, Plug in power DC 5 V –		
	<ul> <li>I/O, Control, Others : IR (Control S) output &gt;</li> </ul>		
	1/ 0, done of, deficio i in (done of b) dueput?	1	1

Bidding Dod	uments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Stereo mini jack –		
	• I/O, Control, Others : USB > Type A: 1		
	• I/O, Control, Others : USB > Type B: 1		
	<ul> <li>I/O, Control, Others: Wireless IFU-</li> </ul>		
	WLM3(Option)(Connect to USB Type-A		
	terminal)		
	<ul> <li>Keystone correction (Max.)(Depends on</li> </ul>		
	resolution) : Vertical +/- 30°		
	<ul> <li>Power requirements AC 100 V to 240 V</li> </ul>		
	<ul> <li>Power requirements 2.8 A to 1.2 A, 50/60 Hz</li> </ul>		
	<ul> <li>Power consumption : AC 100 V to 120 V &gt; Lamp mode: High 276 W</li> </ul>		
	<ul> <li>Power consumption : AC 100 V to 120 V &gt; Lamp</li> </ul>		
	mode: Standard: 225 W		
	<ul> <li>Power consumption : AC 220 V to 240 V &gt; Lamp mode: High: 268 W</li> </ul>		
	<ul> <li>Power consumption : AC 220 V to 240 V &gt; Lamp mode: Standard: 218 W</li> </ul>		
	<ul> <li>Power consumption AC 220 V to 240 V &gt; Lamp</li> </ul>		
	mode: Low: 189 W		
	Standby mode power consumption AC 100 V to		
	120 V > Standard: 5.9 W		
	<ul> <li>Standby mode power consumption AC 100 V to 120 V &gt; Low: 0.5 W</li> </ul>		
	• Standby mode power consumption :AC 220 V to		
	<ul><li>240 V &gt; Standar:d 5.9 W</li><li>Standby mode power consumption AC 220 V to</li></ul>		
	240 V > Low: 0.5.W		
	<ul> <li>Heat dissipation AC 100 V to 120 V: 942</li> <li>BTU</li> </ul>		
	<ul> <li>Heat dissipation AC 220 V to 240 V: 915</li> <li>BTU</li> </ul>		
	<ul> <li>Dimensions (W x H x D) (without protrusions):</li> <li>365 x 96.2 x 252 mm</li> </ul>		
	<ul> <li>Dimensions (W x H x D) (without protrusions:)</li> <li>14 3/8 x 3 25/32 x 9 29/32 in</li> </ul>		
	<ul> <li>Mass 3.8 kg / 8 lb 6 oz</li> </ul>		
	<ul> <li>Supplied accessories Remote commander: RM-PJ8</li> </ul>		
	• Optional accessories Replacement lamp: LMP-		
	E212  Optional aggregation Wireless I AN Module.		
	<ul> <li>Optional accessories Wireless LAN Module: IFU-WLM3</li> </ul>		
	PROJECTOR (OSAS) 112a		
	Native Aspect Ratio: 4x3		
	Technology: DLP		
	• Resolution: SVGA(800x600)		
	• Lumens (Eco/High): 2800/3000		
15.	• Contrast: 15000	9 units	30 calendar
15.	• 3D: Supports 3D content from Blu-ray, cable	9 units	days
	boxes, dish services and more (over HDMI) at		
	144Hz and PC-based 3D content at 120Hz. DLP		
	Link 3D glasses required.		
	Closed Captioning: Yes		
	• Speakers: 2W (1 x 2W)		

Bidding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		,
	<ul> <li>Audible Noise (Eco/High, dBA): 29/30</li> </ul>		
	• Keystone: ± 40°		
	• Lamp: SP-LAMP-086		
	<ul> <li>Lamp Hours (Eco/High): 10000/5000</li> </ul>		
	<ul> <li>Connections: HDMI 1.4, VGA x 2, Composite</li> </ul>		
	video, S-Video, 3.5 mm stereo in x 2, 3.5mm		
	stereo out, RS232C		
	<ul><li>Image Offset: 15</li></ul>		
	<ul><li>Lens Shift: Horz (min/max):None</li></ul>		
	<ul><li>Lens Shift: Vert (min/max): None</li></ul>		
	• Throw Ratio: 2.2~1.9		
	<ul> <li>Weight(lbs/kg): 5.4/2.5</li> </ul>		
	• Product Dimensions HxWxD: 8.7in x 11.5in		
	x 4.7in (220mm x 292mm x 121mm)		
	<ul> <li>Shipping Weight(lbs/kg): 7.1/3.2</li> </ul>		
	<ul> <li>Shipping Dimensions HxWxD: 12in x</li> </ul>		
	14.25in x 7.75in (305mm x 362mm x 197mm)		
	<ul><li>Power consumption: (Max, Watts)</li></ul>		
	PROJECTOR (CAS)		
	Technology: DLP Projector		
	Image Brightness: 2700 ANSI lumens		
	Image Contrast Ratio: 13000:1		
	<ul> <li>Native Resolution: SVGA (800 x 600)</li> </ul>		
	Maximum Resolution: 1920 x 1080 pixels		
	Native Aspect Ratio: 4:3		
	Lamp Life: Up to 7000h		
	Zoom Type: Digital zoom/Manual Zoom		
	Digital Zoom Factor: 2x		
4.0	<ul> <li>HDTV Standards: 480p, 576p, 720p, 1080i</li> </ul>	0	30 calendar
16.	1121 ( Standards: 100p, 6 / 6p, / 20p, 1000)	2 units	days
	• Interface:		
	→ 1 x VGA		
	1 x Video		
	→ 1 x S-Video		
	→ 1 x USB 2.0		
	• Features:		
	DLP 3D ready, Color Boost II, Color Safe II,		
	Eco Projection		
	PROJECTOR (SAN JUAN CAMPUS)		
	Display Specifications		
	Aspect Ratio (Native): 4:3		
	→ Aspect Ratio (Supported): 4:3, 5:4, 16:9,		
	16:10 → Resolution (Native): XGA (1024 x 768)		
	Resolution (Max): UXGA (1024 x 768)  Resolution (Max): UXGA (1600 x 1200)		
17.	★ Contrast Ratio: 4000: 1	3 units	30 calendar
1/.	→ 3D Capable: Yes	Juiito	days
	Closed Captioning: Yes		
	Color Wheel: 6-segment		
	Computer Compatibility: PC, Mac		
	◆ Display Technology: DLP		
	→ Number of Colors: 16.7 million		
	Projection Presets: Presentation, Video,		

Blading Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Bright, Whiteboard, Blackboard, Beige Wall, User  → Projector Placement: Front, Ceiling, Rear  → Video Compatibility: SDTV (NTSC, PAL, SECAM, 480i, 576i), ed/HDTV (480p, 576p, 720p, 1080i, 1080p)		
	<ul><li>Audio</li><li>→ Speakers: 2W (1 x 2W)</li></ul>		
	<ul> <li>Connectivity</li> <li>Connections: VGA x 2, S-video, Composite Stereo 3.5mm Mini Jack input, RS232, Stereo 3.5mm Mini Jack Output</li> <li>Composite (RCA): 1</li> <li>Monitor (Output): VGA</li> <li>RS232: 1</li> <li>S-Video: 1</li> <li>Stereo 3.5mm Mini Jack Input: 1</li> <li>Stereo 3.5mm Mini Jack Output: 1</li> <li>VGA: 2</li> </ul>		
	SCANNER (FMSO)  • Scanner Type: Flatbed colour image scanner		
	<ul> <li>Optical Resolution: 4800 dpi x 4800</li> <li>Document Size: Up to 216 x 297 mm</li> <li>Interface: Hi-Speed USB 2.0</li> </ul>		
	<ul> <li>CONFIGURATION</li> <li>Optical Sensor: Contact Image Sensors (CIS)</li></ul>		
18.	PERFORMANCE  • Output Resolution: 50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments)	1 unit	30 calendar days
	<ul> <li>PIXEL DEPTH</li> <li>Colour: 48-bit input, 24-bit output</li> <li>Grayscale: 16-bit input, 8-bit output</li> <li>Black and White: 16-bit input, 1-bit output</li> </ul>		
	• SCANNING SPEED  → Reflective Scanning: DPISpeed: → Preview: -10.4 sec → 1-bit Monochrome: 30010.4 sec 60012.0 sec		
	120037.0 sec  → 24-bit Colour: 3009.9 sec 60029.0 sec		

		1200103.0 sec		
		1200103.0 300		
		FUNCTIONS		
	•	Driver and Bundled Software:		
		<ul><li>Document Capture Pro (Win)/Document</li></ul>		
		Capture (Mac)		
		→ Photo Scan		
		→ Event Manager		
		→ Copy Utility		
	•	SUPPORTED PLATFORMS		
		<ul> <li>Operating Systems: Microsoft Windows XP</li> </ul>		
		SP2/Vista/7/8/8.1		
		$\rightarrow$ MAC OS x 10.6 x or later		
	•	ENVIRONMENTAL CONDITIONS		
		→ Temperature		
		Operating: 10-35°C		
		♣ Storage: -20 -60°C		
		→ Humidity		
		Operating: 20 – 80% (No Condensation)		
		♣ Storage: 20 – 80% (No Condensation)		
	•	ELECTRICAL SPECIFICATIONS		
		→ Rated Voltage: 5.0 V (USB Bus Power)		
	•	POWER CONSUMPTION		
		→ Operating: 2.5W		
		Ready: 1.1W		
	CC A NI	Power Off: 0.0125W		
	SCAN.	NER (RESEARCH) Scanner Type: Flatbed		
		Scanning Method: CIS (Contact Image Sensor)		
		Light Source: 3-colour (RGB) LED		
		Optical 4800 x 4800 dpi		
		Scanning Bit Depth		
		→ Grayscale : 16-bit input		
		8-bit output		
		Colour: 48 – bit input (16-bit for each		
		colour)		
		48 or 24-bit output (16-bit or 8-bit		
		for each colour)		30 calendar
19.	•	Preview Speed: Approx. 9 secs	2 units	days
	•	Scanning Speed: Colour A4 Approx. 300 dpi 10		aays
		secs		
	•	Scanning Speed (Reflective)		
		→ Grayscale, B&W: 4800dpi: 11.1 msec/line		
		2400dpi: 5.6 msec/line		
		1200dpi: 2.8 msec/line		
		600dpi: 1.4 msec/line		
		300dpi: 2.2 msec/line  → Colour: 4800dpi: 33.2 msec/line		
		2400dpi: 35.2 lisec/line		
		1200dpi: 8.4 msec/line		
		600dpi: 4.3 msec/line		

Bidding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	300dpi: 2.2 msec/line		
	<ul> <li>Max. Document Size: A4, LTR: 216 x 297mm</li> </ul>		
	<ul> <li>Scanner Buttons (EZ 5 buttons (PDF x 2,</li> </ul>		
	Autoscan, Copy, Send)		
	Interface Operating Environment		
	→ Temperature: 5 - 35°C		
	→ Humidity: 10-90% RH (no dew		
	condensation)		
	→ Power Supply: Supplied via USB port		
	→ Power: Maximum Approx. 2.5W during		
	operation, Standby: Approx. 1.4 W OFF,		
	Approx (Suspend) 11mW		
	Flash Drive (OSAS, CAS)		
	• Capacities: 8 Gb		
20.	<ul> <li>Compatible with: Windows® 8, Windows 7,</li> </ul>	7 units	30 calendar
20.	Windows Vista®, Windows XP, Mac OS X v.	7 units	days
	10.6x+, Linux v.2.6.x+		
	1 TB External Hard Disk (FMSO, IAU)		
	<ul> <li>1.0 TB Storage Cap; 3.0 USB Port;5,120 megabits/second: Max Transfer Speed; With</li> </ul>		30 calendar
21.	9 ,	2 units	
	Speed; With backup and security software; With		days
	plug-and-play capability; With anti-shock		
	protection casing, etc.		
	Hard Drive (CAS, Property and Supply)		
	• Capacity: 2 TB		
	USB powered portable add-on storage	3 units	30 calendar days
22.	• Easy to use with no software to install.		
	Protects drive (Internal Shock Sensor and ramp		
	Loading Technology)		
	Accommodates large digital files with spacious		
	storage capacity		
	External Hard Drive (RESEARCH)		
	Military-grade shock resistance		
	<ul> <li>Super speed USB 3.0 compliant and backwards</li> </ul>		
	compatible with USB 2.0		
	<ul> <li>Advanced 3-stage shock rubber outer case</li> </ul>		30 calendar
23.	<ul> <li>Advanced internal hard drive suspension</li> </ul>	4 units	days
	system, press to reconnect the drive without		
	having to unplug and replug the USB connector		
	again		
	One Touch Auto-Backup button		
			30 calendar
24.	CD Rewritable	25 pcs	
		-	days
	Antivirus		
	System Requirements: Microsoft® Windows®		
	XP (32-bit) Home/Professional/Tablet PC/Media		
25.	Center (32-bit) with Service Pack 2 or later		
	Microsoft Windows Vista® (32-bit and 64-bit)		
	Starter/Home Basic/Home	2 units	30 calendar
	Premium/Business/Ultimate with Service Pack 1		days
	or later, Microsoft Windows 7 (32-bit and 64-bit)		
	Starter/Home Basic/Home Premium/Ultimate,		
	Microsoft Windows 8 and Windows 8 Pro (32-bit		
	and 64-bit), Microsoft Windows 10 (32-bit and		
	and of bity, microsoft windows to (32-bi allu		

#### 64-bit)

- Minimum Hardware Requirements: 300 MHz for Microsoft Windows XP, 1 GHz for Microsoft Windows Vista/Windows 7/Windows 8/Windows 10, 256Mb of RAM, 300 Mb of available hard disk space, CD-ROM or DVD drive (if not installing via electronic download), Microsoft Internet Explorer® 7.0 or higher (32-bit only)
- Support for Antispam: Microsoft Outlook®2002 or later, Microsoft Outlook Express 6.0 or later, Windows Mail (spam filtering only)
- Browser Support for Vulnerability Protection: Microsoft Internet Explorer 7.0 or higher (32-bit only), Mozilla Firefox (32-bit only)

## SECTION VII TECHNICAL SPECIFICATIONS

Item No.	Specifications	QTY.	STATEMENT OF COMPLIANCE Comply/Not Comply
1.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> </ul>	36 units	
2.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> <li>With DVD Writer</li> </ul>	1 unit	
3.	PRINTER (Lipa Campus, Extension Services, Health Services, Health Services - Rosario Campus, CIT)  • Printing  • Print Method: On-demand ink jet  • Nozzle Configuration: 180 nozzles Black,	14 units	

59 nozzles each colour (Cyan, Magenta, Yellow)  → Print Direction: Bi-directional printing, Unidirectional printing  → Maximum Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology)  → Minimum Ink Droplet Volume: 3pl  • Print Speed  → Max Black Draft Text - Memo (A4): Approx. 27 ppm / 15 ppm (Bk/Cl)  → ISO 24734, A4: Approx. 6.0 ipm / 3.0 ipm (Bk/Cl))  → Max Photo Draft - 10x15cm/4x6": Approx. 27 sec per photo (W/Border)  → Photo Default - 10x15cm/4x6": Approx. 69 sec per photo (W/Border)		
<ul> <li>Copying</li> <li>Copy Speed</li> <li>Max. Black Draft Text - Memo (A4): Approx. 5 sec (Draft)</li> <li>Max. Colour Draft Text - Memo (A4): Approx. 10 sec (Draft)</li> <li>Copy Mode Standard copy mode</li> <li>Maximum Copies From Standalone 20 sheets (fixed)</li> <li>Scanning</li> <li>Scanner Type: Flatbed colour image scanner</li> <li>Sensor Type: CIS</li> <li>Optical Resolution 600 x 1200 dpi</li> <li>Maximum Scan Area 216 x 297mm (8.5 x 11.7")</li> <li>Scanner Bit Depth</li> <li>Colour: 48-bit internal, 24-bit external</li> <li>Grayscale: 16-bit internal, 8-bit external</li> <li>Black &amp; White: 16-bit internal, 1-bit external</li> <li>Scan Speed</li> <li>Monochrome 300 dpi: 2.4 msec/line</li> <li>Colour 300 dpi: 9.5 msec/line</li> <li>Monochrome 600 dpi: 7.2 msec/line</li> <li>Colour 600 dpi: 14.3 msec/line</li> </ul>		
<ul> <li>PRINTER (RESEARCH)</li> <li>Functions: Print, Copy, Scan, Photo</li> <li>Printing Specifications:</li> </ul>	4 units	

- → Print speed black:
  - **♣** ISO: Up to 8.8 ppm
  - Draft: Up to 21 ppm
- Print Speed Color:
  - **♣** ISO: Up to 5.2 ppm
  - **♣** Draft: Up to 17 ppm
- → First page out (ready)
  - ♣ Black: As fast as 19 sec
  - Color: As fast as 24 sec
- → Duty cycle (monthly, A4)
  - Up to 1000 pages
- → Recommended monthly page volume
  - 4 300 to 400
- → Print Technology: Thermal Inkjet
- → Printer quality (best)
  - Color: Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected photo papers and 1200 input dpi)
  - Black: Up to 1200 x 600 rendered dpi (when printing from a computer)
- → Display: 5 cm (2.0") Hi-Res Mono LCD
- → Processor Speed: 360 MHz
- Number of print cartridges: 2 total, 1 black, 1 tri color cyan, magenta, yellow)
- Connectivity
  - → Wireless Capability: Yes
  - Connectivity Standard: 1 Hi-Speed USB 2.0 1 WiFi 802.11n
  - Minimum System Requirements: Windows 8, 7:1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows XP SP3 or higher (32-bit only): Intel®Pentium® II, Celeron® or 233 MHz compatible processor, 750 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6.
  - Mac OS X v. 10.6, OS X Lion, OS X Mountain Lion
  - **→** Intel® Core<sup>™</sup> Processor
  - ◆ 1 GB HD
  - → CD-ROM/DVD or Internet
  - **→** USB
- Memory Specifications
  - → Memory, standard: 32 MB DDR1 memory
- Paper Handling

	*	Paper handling input, standard: Up to 100 sheets	
	<b>→</b>	Paper handling output, standard: 30-sheet	
		output tray	
	• Duple	ex Printing:	
	<b>→</b>	Automatic (standard): Media sizes	
		supported (A4, A5, B5, DL, C6, A6)	
	<b>→</b>	Media sizes (custom): 76 x 127 to 216 x	
		356mm	
		Media types: Paper (plain, inkjet, photo),	
		envelopes, cards, iron-on transfers,	
		borderless media	
		Barcode scanner: 20 lb	
		Media weights, supported: 64 to 90 g/m <sup>2</sup>	
	• Scan	ner specifications	
	<b>→</b>	Scanner type: Flatbed	
	<b>→</b>	Scan file format: PDF, BMP, PNG, TIF, JPG	
	<b>→</b>	Scan resolution (optical): Up to 1200 dpi	
	<b>→</b>	Bit depth: 24-bit	
	<b>→</b>	Scan size (flatbed), maximum: 216 x	
		297mm	
	<b>→</b>	Scan input methods: Front panel scan,	
		Front panel copy	
	• Copi	er Specifications	
	<b>→</b> `	Copy resolution (black test): 600 x 600 dpi	
	<b>→</b>	Copy resolution (color text and graphics):	
		600 x 1200 dpi	
	<b>*</b>	Copy reduce/enlarge settings: 25 to 400%	
	<b>*</b>	Copies, maximum: Up to 50 copies	
	• Pow	rer and operating requirements	
	<b>*</b>	Power: 100-240 V (+/-10%), 50/60 Hz	
		(+/-3 Hz)	
	<b>*</b>	Power Consumption: 13.07 watts	
		(printing, 2.51 watts (ready), 0.70 watts	
		(sleep), 0.20 watts (off)	
	<b>→</b>	Operating temperature range: 5 to 40°C	
	<b>→</b>	Operating Humidity Range: 20 to 80% RH	
	• Dim	ensions and weight	
		Minimum dimensions (W x D x H): 445 x	
		334 x 120mm	
	<b>→</b>	Maximum dimensions (W x D x H): 445 x	
		608 x 390mm	
		Weight: 5.49 kg	
	<b>*</b>	Package weight: 6.43 kg	
	PRINTER (C	OSAS)	
5.		P D	5 units
	• Func	tions: Print, copy, scan	

#### PRINTING SPECIFICATIONS:

- Print speed black:
  - ISO: Up to 7 ppm[1]
  - → Draft: Up to 20 ppm
- Print speed color:
  - → ISO: Up to 4 ppm[1]
  - → Draft: Up to 16 ppm
- First page out (ready)
  - → Black: As fast as 17 sec
  - → Color: As fast as 24 sec
- Duty cycle (monthly, A4): Up to 1000 pages
- Number of print cartridges: 2 (1 black, 1 Tricolor)

#### **CONNECTIVITY**

• Connectivity, standard: 1 Hi-Speed USB 2.0

#### PAPER HANDLING

- Paper handling input, standard: 60-sheet input tray
- Paper handling output, standard: 25-sheet output tray
- Duplex printing:Manual (driver support provided)
- Media sizes supported: A4, B5, A6, DL envelope
- Media sizes custom: 89 x 127 to 215 x 279 mm
- Media types: Paper (brochure, inkjet, plain), photo paper, envelopes, labels, cards (greeting)
- Barcode scanner: 20 lb
- Media weights, supported:
   A4: 60 to 90 g/m²; HP envelopes: 75 to 90 g/m²;
   HP cards: up to 200 g/m²; HP 10 x 15 cm photo paper: up to 300 g/m²

#### **SCANNER SPECIFICATIONS**

- Scanner type: Flatbed
- Scan file format: JPEG, TIFF, PDF, BMP, PNG
- Scan resolution, optical: Up to 1200 dpi
- Bit depth: 24-bit
- Scan size (flatbed), maximum: 216 x 297 mm
- Scan input modes: Front-panel scan

#### **COPIER SPECIFICATIONS**

- Copy resolution (black text): Up to 600 x 300 dpi
- Copy resolution (color text and graphics): Up to 600 x 300 dpi

	Copies, maximum: Up to 9 copies		
	PRINTER (SAN JUAN CAMPUS)		
6.	<ul> <li>Printing Technology</li> <li>Print Method: Impact dot matrix</li> <li>Number of Pins in Head: 24 pins</li> <li>Print Direction: Bi-direction with logic seeking</li> <li>Control Code: ESC/P2 and IBM PPDS emulation</li> <li>Print Speed</li> <li>High Speed Draft10/12 cpi: 347 / 416 cps</li> <li>Draft10/12/15 cpi: 260 / 312 / 390 cps</li> <li>Draft Condensed17/20 cpi: 222 / 260 cps</li> <li>LQ10/12/15 cpi: 86 / 103 / 129 cps</li> <li>LQ Condensed17/20 cpi: 147 / 172 cps</li> <li>Print Characteristics</li> <li>Character Sets: Italic table, PC437 (US Standard Europe), PC850 (Multilingual), PC860 (Portuguese), PC861 (Icelandic), PC863 (Canadian-French), PC865 (Nordic), Abicomp, BRASCII, Roman 8, ISO Latin 1, PC 858, ISO 8859-15</li> <li>Ribbon Cartridge</li> <li>Standard: Fabric Ribbon Cartridge (Black)</li> <li>Ribbon Life: Approx. 2.5 million characters (Draft 10cpi, 48 dots/character)</li> <li>Acoustic Noise: Approx. 53dB(A) (ISO 7779 pattern)</li> </ul>	2 units	
	<ul><li>PRINTER (BAC Office)</li><li>Functions: Print</li></ul>		
7.	<ul> <li>Functions: Finit</li> <li>First page out (ready) black: As fast as 5.6 sec</li> <li>Monthly duty cycle: Up to 80,000 pages</li> <li>Recommended monthly page volume: 750 to 4000</li> <li>Print Technology: Laser</li> <li>Display: 2-line backlit LCD graphic display</li> <li>Processor speed: 1200 MHz</li> <li>Number of print cartridges: 1 (black)</li> <li>Replacement cartridges</li> <li>Print languages</li> </ul>	1 unit	

	A.L. NI		
	Automatic paper sensor: No		
	Paper trays, standard: 2		
	Paper trays, maximum: 3		
	Mobile Printing Capability		
	• Connectivity, standard: 1 Hi-Speed USB 2.0; 1		
	Host USB; 1 Gigabit Ethernet 10/100/1000T		
	network		
	Network ready: Standard (built-in Gigabit		
	Ethernet)		
	Ports: 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit		
	Ethernet 10/100/1000T network		
	Paper handling input, standard: 100-sheet		
	multipurpose Tray 1, 250-sheet input Tray 2		
	Paper handling output, standard: 150-sheet		
	output bin		
	<ul> <li>Duplex printing: Automatic(standard)</li> </ul>		
	Finished output handling: Sheetfed		
	PRINTER (CAS)		
	• 180 Nozzles Black, 59 Nozzles per Color		
	Minimum Droplet Size: 3pl		
	<ul> <li>Printing Resolution: 5,760 x 1,440 DPI</li> </ul>		
	All-in-One Functions		
	<ul> <li>Printing Speed6 Pages/min Monochrome, 3</li> </ul>		
8.	Pages/min Color	3 sets	
0.	<ul> <li>Printing Speed: 69 seconds</li> </ul>	3 3613	
	<ul> <li>Scanner Type: Contact Image Sensor (CIS)</li> </ul>		
	Duplex: Manual		
	Output Tray Capacity: 30 sheets		
	<ul> <li>Paper Tray Capacity: 50 Sheets Standard, 50</li> </ul>		
	Sheets		
	Maximum: 10 Photo Sheets		
	LCD PROJECTOR WITH SCREEN (Extension Services)		
	Native Resolution: SVGA 800 x 600		
	Maximum Resolution: WUXGA 1920 x 1200		
	• Brightness		
	Normal Mode: 3200 Lumens		
	→ Eco Mode: 2500 Lumens		
9.	• Lamp Life:	1 unit	
	Normal Mode: 3500 hours		
	→ Eco Mode: 5000 hours		
	Lamp power: 230W UHP		
	• Contrast Ratio: 3000:1		
	<ul> <li>Colours Wheel: 6 Segment, 2x Speed</li> </ul>		
	<ul> <li>Input Sources: HDMI 1.4,VGA x 2,Composite</li> </ul>		
	Video,S-Video,3.5mm stereo input,RS232C,USB B		
	Mini (control & firmware)		

(3.5mm)  Control: Projector Keypad,IR Remote,RS232,USB Mini for mouse  Audible Noise: 30 dB Normal Mode ( 28 dB Eco Mode)  Computer Compatibility: PC, MAC  Projector Offset: 130% + 5%  Lens Type: Manual zoom and focus  Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)  Zoom Ratio: 1.1:1  Number of Colours: 16.7 million  Aspect Ratio: 4:3 (Native),Support 16:9,16:10,Auto  Synch - Horizontal Scan Freg: 31 - 100kHz  Vertical Scan Freg: 50-120Hz  Video Compatibility: SDTV (NTSC,PAL,SECAM,480i,576i),ED/HDTV (480p,576p,720p,1080i,1080p)  Audio: 2W mono  Product Dimensions: 284 x 235x 70mm(WxDxH)  Product Weight: .17kg ( Estimated)  Shipping Dimensions: 330 x 330x150mm (WxDxH)  Product Weight: 3.67Kg ( Estimated)  Maximum Altitute: 3,048m  Operating Temperature: 5-35C  Remote Control: Full Function ( No Laser)  Security Features: Security lock slot,Security bar, User PIN  Ships with Accessories: Power cord, VGA cable, Safety instructions, User manual, Remote control	10.	<ul> <li>Native Resolution: SVGA 800 x 600</li> <li>Maximum Resolution: WUXGA 1920 x 1200</li> <li>Brightness <ul> <li>Normal Mode: 3200 Lumens</li> <li>Eco Mode: 2500 Lumens</li> </ul> </li> <li>Lamp Life: <ul> <li>Normal Mode: 3500 hours</li> <li>Eco Mode: 5000 hours</li> </ul> </li> <li>Lamp power: 230W UHP</li> <li>Contrast Ratio: 3000:1</li> <li>Colours Wheel: 6 Segment, 2x Speed</li> <li>Input Sources: HDMI 1.4,VGA x 2,Composite</li> </ul>	5 units	
<ul> <li>Control: Projector Keypad,IR Remote,RS232,USB Mini for mouse</li> <li>Audible Noise: 30 dB Normal Mode ( 28 dB Eco Mode)</li> <li>Computer Compatibility: PC, MAC</li> <li>Projector Offset: 130% + 5%</li> <li>Lens Type: Manual zoom and focus</li> <li>Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)</li> <li>Zoom Ratio: 1.1:1</li> <li>Number of Colours: 16.7 million</li> <li>Aspect Ratio: 4:3 (Native),Support 16:9,16:10,Auto</li> <li>Synch - Horizontal Scan Freg: 31 - 100kHz</li> <li>Vertical Scan Freg: 50-120Hz</li> <li>Video Compatibility: SDTV (NTSC,PAL,SECAM,480i,576i),ED/HDTV (480p,576p,720p,1080i,1080p)</li> </ul>		<ul> <li>Product Weight: .17kg (Estimated)</li> <li>Shipping Dimensions: 330 x 330x150mm (WxDxH)</li> <li>Shipping Weight: 3.67Kg (Estimated)</li> <li>Maximum Altitute: 3,048m</li> <li>Operating Temperature: 5- 35C</li> <li>Remote Control: Full Function (No Laser)</li> <li>Security Features: Security lock slot,Security bar, User PIN</li> <li>Ships with Accessories: Power cord, VGA cable, Safety instructions, User manual, Remote</li> </ul>		
		<ul> <li>Mini for mouse</li> <li>Audible Noise: 30 dB Normal Mode (28 dB Eco Mode)</li> <li>Computer Compatibility: PC, MAC</li> <li>Projector Offset: 130% + 5%</li> <li>Lens Type: Manual zoom and focus</li> <li>Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)</li> <li>Zoom Ratio: 1.1:1</li> <li>Number of Colours: 16.7 million</li> <li>Aspect Ratio: 4:3 (Native), Support 16:9,16:10, Auto</li> <li>Synch - Horizontal Scan Freg: 31 - 100kHz</li> <li>Vertical Scan Freg: 50-120Hz</li> <li>Video Compatibility: SDTV (NTSC, PAL, SECAM, 480i, 576i), ED/HDTV (480p, 576p, 720p, 1080i, 1080p)</li> </ul>		
		<ul> <li>Mini for mouse</li> <li>Audible Noise: 30 dB Normal Mode (28 dB Eco Mode)</li> <li>Computer Compatibility: PC, MAC</li> <li>Projector Offset: 130% + 5%</li> <li>Lens Type: Manual zoom and focus</li> <li>Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)</li> <li>Zoom Ratio: 1.1:1</li> <li>Number of Colours: 16.7 million</li> </ul>		

Mini (control & firmware)  • Output Sources: Monitor out (VGA), Audio out (3.5mm)	
(3.5mm)	
Control: Projector Keypad,IR Remote,RS232,USB	
Mini for mouse	
Audible Noise: 30 dB Normal Mode ( 28 dB Eco	
Mode)	
• Computer Compatibility: PC, MAC	
• Projector Offset: 130% + 5%	
<ul> <li>Lens Type: Manual zoom and focus</li> <li>Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)</li> </ul>	
<ul> <li>Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)</li> <li>Zoom Ratio: 1.1:1</li> </ul>	
Number of Colours: 16.7 million	
Aspect Ratio: 4:3 (Native), Support	
16:9,16:10,Auto	
Synch - Horizontal Scan Freg: 31 - 100kHz	
Vertical Scan Freg: 50-120Hz	
Video Compatibility: SDTV	
(NTSC,PAL,SECAM,480i,576i),ED/HDTV	
(480p,576p,720p,1080i,1080p)	
Audio: 2W mono	
Product Dimensions: 284 x 235x 70mm(WxDxH)	
Product Weight: .17kg ( Estimated)	
• Shipping Dimensions: 330 x 330x150mm (WxDxH)	
Shipping Weight: 3.67Kg ( Estimated)	
Maximum Altitute: 3,048m	
Operating Temperature: 5- 35C	
Remote Control: Full Function ( No Laser)	
Security Features: Security lock slot, Security bar, User PIN	
Ships with Accessories: Power cord, VGA	
cable, Safety instructions, User manual, Remote	
control	
LADTOD (DECEADOU)	
LAPTOP (RESEARCH)  • Operating System: Windows 8.1	
CPU: Intel Core i7-4510U Processor 2.0 Ghz	
RAM and Hard Disk Drive (HDD): 8 GB RAM and	
1TB HDD	
11. • Graphics: 2 GB AMD Radeon HD R7 M265 1 unit	
Memory and expandability options: 1 TB HDD	
Connectivity options: Wireless LAN 802.11 b/g	
Camera resolution (MP): HD webcam	
Battery type and charge (mAh): 6-cell Battery	
Optical drive(CD): DVD+/-RW	

	Power Consumption: 220V/60 Hz	
	I ADTOD (CONAUS)	
	<ul><li>LAPTOP (CONAHS)</li><li>Operating System: Windows 8.1 Pro, Wind</li></ul>	OTAG
	8.1	ows
	<ul> <li>Memory: DDR3 MHz SDRAM, up to 8 G</li> </ul>	
	<ul> <li>Display: 14.0" Auto HD (1366x768)</li> </ul>	
	• Storage: 2.5" SATA	
	320GB HDD 5400 RPM	
	500GB HDD 5400 RPM	
	750GB HDD 5400 RPM	
	1TB HDD 5400 RPM	
	Optical Drive: Super-Multi DVD	
	• Card Reader: card reader (SD SDHC)	
	Camera: VGA Web Camera	
12.	<ul> <li>Networking: Integrated 802.11 b/g/n</li> </ul>	1unit
12.	10/100 Base T	Tunt
	BT 4.0 support (on WLAN+ B'	T 4.0
	combo card)	
	Interface: 1 x COMBO audio jack	_
	1 x VGA port/Mini D-sub 15-pin	for
	external monitor	
	1 x USB 3.0 port(s)	
	1 x USB 2.0 port(s)	
	1 x RJ45 LAN Jack for LAN insert 1 x HDMI	
	1 x HDM1 1 x Display Port	
	Power Adapter	
	→ Output :19 V DC, 1.75 A, 33 W	
	→ Input:100 -240 V AC, 50/60 Hz univ	versal
	NOTEBOOK COMPUTER (IAU)	
	• 1.6 MHz, Processor Speed; 1-2 GB RAM; 10	0.1"
13.	Display; 500 MB HDD; Graphics; Integrated	d; 1 unit
13.	Built-in Microphone and Webcam; Touchp	ad;   Tunit
	MMC/SD; Battery: Lithium Ion; Interfaces:	
	Audio, Video, Ethernet, Latest Windows OS	S, etc.
	PROJECTOR (BALAYAN CAMPUS)	
	pignless greaters 2 LCD greaters	
	Display system: 3 LCD system     Display devices Sine of effective display on	
	• Display device - Size of effective display are	ea:
14.	<ul><li>0.63" (16.0 mm)</li><li>Display device - Number of pixels: XGA (10</li></ul>	024 x 2 units
14.	768)	OZTA Z uiiits
	• Display device - Aspect ratio: 4:3	
	<ul> <li>Projection lens – Focus: Manual</li> </ul>	
	<ul> <li>Projection lens - Zoom &gt; Powered / Manua</li> </ul>	ıl:
	Manual	
<u> </u>	Ivianual	

Univers	sity Based on Revised IRR of RA 9184, Fourth Edition, December 20	10)	
			T
•	Projection lens - Throw ratio: 1.40:1 2.27:1	to	
•	Light source – Type: Lamp		
•	Light source Wattage: 210 W type		
•	Screen size: 30" to 300"		
•	Screen size: (0.76 m to 7.62 m)		
•	Light output: Lamp mode: High: 3700 l	m	
•	Light output : Lamp mode: Standard: lm	2700	
•	Light output : Lamp mode: Low 2100 l	m	
•	Color light output : Lamp mode High:	3700	
•	Color light output: Lamp mode Standard: lm(The values are estimatel)	2700	
•	Color light output : Lamp mode: Low: lm(The values are estimatel)	2100	
•	Contrast ratio (full white / full black)(This	s value	
	is average) 3000:1		
•	Input : Composite video > Pin Jack 1		
•	Input : S video > Mini DIN 4-pin 1		
•	Input : Computer > Mini D-sub 15-pin	2	
•	Output : Monitor > Mini D-sub 15-pin		
	1(From INPUT A and INPUT B)		
•	I/O, Control, Others: RS-232C > D-sub 9-p 1 (male)	oin	
•	I/O, Control, Others : LAN > RJ-45, 10BAS	E-	
	T/100BASE-TX 1		
•	I/O, Control, Others : IR (Control S) input	>	
	Stereo mini jack, Plug in power DC 5 V	_	
•	I/O, Control, Others : IR (Control S) outpu Stereo mini jack –	t >	
•	I/O, Control, Others : USB > Type A:	1	
•	I/O, Control, Others : USB > Type B:	1	
•	I/O, Control, Others: Wireless IFU-		
	WLM3(Option)(Connect to USB Type-A		
	terminal)		
•	Keystone correction (Max.)(Depends on		
	resolution): Vertical +/- 30°		
•	Power requirements AC 100 V to 240 V		
•	Power requirements 2.8 A to 1.2 A, 50/60		
•	Power consumption : AC 100 V to 120 V >	Lamp	
_	mode: High 276 W	Lama	
•	Power consumption : AC 100 V to 120 V > mode: Standard: 225 W	Lamp	
•	Power consumption : AC 220 V to 240 V >	Lamn	
•	mode: High: 268 W	Lamp	
	Power consumption: AC 220 V to 240 V >	Lamn	

Power consumption : AC 220 V to 240 V > Lamp

218 W

mode: Standard:

	<del>-</del>		
	<ul> <li>Power consumption AC 220 V to 240 V &gt; Lamp mode: Low: 189 W</li> </ul>		
	Standby mode power consumption AC 100 V to		
	<ul> <li>120 V &gt; Standard: 5.9 W</li> <li>Standby mode power consumption AC 100 V to</li> </ul>		
	120 V > Low: 0.5 W		
	• Standby mode power consumption :AC 220 V to		
	240 V > Standar:d 5.9 W		
	• Standby mode power consumption AC 220 V to 240 V > Low: 0.5.W		
	Heat dissipation AC 100 V to 120 V: 942 BTU		
	<ul> <li>Heat dissipation AC 220 V to 240 V: 915</li> <li>BTU</li> </ul>		
	• Dimensions (W x H x D) (without protrusions): 365 x 96.2 x 252 mm		
	<ul> <li>Dimensions (W x H x D) (without protrusions:)</li> <li>14 3/8 x 3 25/32 x 9 29/32 in</li> </ul>		
	• Mass 3.8 kg / 8 lb 6 oz		
	<ul> <li>Supplied accessories Remote commander: RM-PJ8</li> </ul>		
	Optional accessories Replacement lamp: LMP- E212		
	<ul> <li>Optional accessories Wireless LAN Module: IFU-WLM3</li> </ul>		
	PROJECTOR (OSAS) 112a		
	Native Aspect Ratio: 4x3		
	Technology: DLP		
	• Resolution: SVGA(800x600)		
	<ul> <li>Lumens (Eco/High): 2800/3000</li> </ul>		
	• Contrast: 15000		
	• 3D: Supports 3D content from Blu-ray, cable		
	boxes, dish services and more (over HDMI) at 144Hz and PC-based 3D content at 120Hz. DLP		
	Link 3D glasses required.		
4 =	Closed Captioning: Yes		
15.	• Speakers: 2W (1 x 2W)	9 units	
	<ul> <li>Audible Noise (Eco/High, dBA): 29/30</li> </ul>		
	• Keystone: ± 40°		
	• Lamp: SP-LAMP-086		
	• Lamp Hours (Eco/High): 10000/5000		
	<ul> <li>Connections: HDMI 1.4, VGA x 2, Composite video, S-Video, 3.5 mm stereo in x 2, 3.5mm</li> </ul>		
	stereo out, RS232C		
	• Image Offset: 15		
	Lens Shift: Horz (min/max):None		
	Lens Shift: Vert (min/max): None		

	<ul> <li>Throw Ratio: 2.2~1.9</li> <li>Weight(lbs/kg): 5.4/2.5</li> <li>Product Dimensions HxWxD: 8.7in x 11.5in</li> </ul>		
	x 4.7in (220mm x 292mm x 121mm)		
	• Shipping Weight(lbs/kg): 7.1/3.2		
	<ul> <li>Shipping Dimensions HxWxD: 12in x</li> </ul>		
	14.25in x 7.75in (305mm x 362mm x 197mm)		
	<ul> <li>Power consumption: (Max, Watts)</li> </ul>		
	PROJECTOR (CAS)		
	<ul> <li>Technology: DLP Projector</li> </ul>		
	<ul> <li>Image Brightness: 2700 ANSI lumens</li> </ul>		
	<ul> <li>Image Contrast Ratio: 13000:1</li> </ul>		
	• Native Resolution: SVGA (800 x 600)		
	Maximum Resolution: 1920 x 1080 pixels		
	• Native Aspect Ratio: 4:3		
	• Lamp Life: Up to 7000h		
	Zoom Type: Digital zoom/Manual Zoom		
	Digital Zoom Factor: 2x  HDTM 2:		
16.	<ul> <li>HDTV Standards: 480p, 576p, 720p, 1080i</li> </ul>	2 units	
	• Interface:		
	→ 1 x VGA		
	→ 1 x Video		
	<ul><li>→ 1 x S-Video</li><li>→ 1 x USB 2.0</li></ul>		
	¥ 1 X 03D 2.0		
	• Features:		
	DLP 3D ready, Color Boost II, Color Safe II,		
	Eco Projection		
	PROJECTOR (SAN JUAN CAMPUS)		
	Display Specifications		
	Aspect Ratio (Native): 4:3		
	<ul><li>→ Aspect Ratio (Supported): 4:3, 5:4, 16:9, 16:10</li></ul>		
	→ Resolution (Native): XGA (1024 x 768)		
	→ Resolution (Max): UXGA (1600 x 1200)		
	Contrast Ratio: 4000: 1		
17.	→ 3D Capable: Yes	3 units	
	→ Closed Captioning: Yes		
	→ Color Wheel: 6-segment		
	Computer Compatibility: PC, Mac		
	Display Technology: DLP		
	Number of Colors: 16.7 million		
	→ Projection Presets: Presentation, Video,		
	Bright, Whiteboard, Blackboard, Beige Wall, User		
	0201		

<ul> <li>PIXEL DEPTH</li> <li>Colour: 48-bit input, 24-bit output</li> <li>Grayscale: 16-bit input, 8-bit output</li> <li>Black and White: 16-bit input, 1-bit output</li> </ul>		
<ul> <li>PERFORMANCE</li> <li>Output Resolution: 50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments)</li> </ul>		
<ul> <li>CONFIGURATION</li> <li>Optical Sensor: Contact Image Sensors (CIS)</li></ul>	1 unit	
<ul> <li>SCANNER (FMSO)</li> <li>Scanner Type: Flatbed colour image scanner</li> <li>Optical Resolution: 4800 dpi x 4800</li> <li>Document Size: Up to 216 x 297 mm</li> <li>Interface: Hi-Speed USB 2.0</li> </ul>		
<ul> <li>Speakers: 2W (1 x 2W)</li> <li>Connectivity</li> <li>Connections: VGA x 2, S-video, Composite Stereo 3.5mm Mini Jack input, RS232, Stereo 3.5mm Mini Jack Output</li> <li>Composite (RCA): 1</li> <li>Monitor (Output): VGA</li> <li>RS232: 1</li> <li>S-Video: 1</li> <li>Stereo 3.5mm Mini Jack Input: 1</li> <li>Stereo 3.5mm Mini Jack Output: 1</li> <li>VGA: 2</li> </ul>		
<ul> <li>Projector Placement: Front, Ceiling, Rear</li> <li>Video Compatibility: SDTV (NTSC, PAL, SECAM, 480i, 576i), ed/HDTV (480p, 576p, 720p, 1080i, 1080p)</li> <li>Audio</li> </ul>		
	SECAM, 480i, 576i), ed/HDTV (480p, 576p, 720p, 1080i, 1080p)  • Audio  → Speakers: 2W (1 x 2W)  • Connectivity  → Connections: VGA x 2, S-video, Composite Stereo 3.5mm Mini Jack input, RS232, Stereo 3.5mm Mini Jack Output  ← Composite (RCA): 1  → Monitor (Output): VGA  → RS232: 1  → S-Video: 1  → Stereo 3.5mm Mini Jack Input: 1  → Stereo 3.5mm Mini Jack Output: 1  → VGA: 2  SCANNER (FMSO)  • Scanner Type: Flatbed colour image scanner  • Optical Resolution: 4800 dpi x 4800  • Document Size: Up to 216 x 297 mm  • Interface: Hi-Speed USB 2.0  CONFIGURATION  • Optical Sensor: Contact Image Sensors (CIS)  40,800 pixels x 56,160 pixels (4800 dpi)  • Light Source: LED  • Sub-Scanning Method: Fixed Document and moving carriage  PERFORMANCE  • Output Resolution: 50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments)	<ul> <li>Video Compatibility: SDTV (NTSC, PAL, SECAM, 480i, 576i), ed/HDTV (480p, 576p, 720p, 1080i, 1080p)</li> <li>Audio</li> <li>Speakers: 2W (1 x 2W)</li> <li>Connectivity</li> <li>Connections: VGA x 2, S-video, Composite Stereo 3.5mm Mini Jack input, RS232, Stereo 3.5mm Mini Jack Output</li> <li>Composite (RCA): 1</li> <li>Monitor (Output): VGA</li> <li>RS232: 1</li> <li>S-Video: 1</li> <li>Stereo 3.5mm Mini Jack Input: 1</li> <li>Stereo 3.5mm Mini Jack Output: 1</li> <li>VGA: 2</li> <li>SCANNER (FMSO)</li> <li>Scanner Type: Flatbed colour image scanner</li> <li>Optical Resolution: 4800 dpi x 4800</li> <li>Document Size: Up to 216 x 297 mm</li> <li>Interface: Hi-Speed USB 2.0</li> <li>CONFIGURATION</li> <li>Optical Sensor: Contact Image Sensors (CIS) 40,800 pixels x 56,160 pixels (4800 dpi)</li> <li>Light Source: LED</li> <li>Sub-Scanning Method: Fixed Document and moving carriage</li> <li>1 unit</li> <li>PERFORMANCE</li> <li>Output Resolution: 50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments)</li> </ul>

			I	
		Reflective Scanning: DPISpeed:		
		→ Preview: -10.4 sec		
		→ 1-bit Monochrome: 30010.4 sec		
		60012.0 sec		
		120037.0 sec		
		→ 24-bit Colour: 3009.9 sec		
		60029.0 sec		
		1200103.0 sec		
		1200103.0 300		
		FUNCTIONS		
		Driver and Bundled Software:		
	•			
		→ Document Capture Pro (Win)/Document		
		Capture (Mac)		
		→ Photo Scan		
		→ Event Manager		
		Copy Utility		
	•	SUPPORTED PLATFORMS		
		<ul> <li>Operating Systems: Microsoft Windows XP</li> </ul>		
		SP2/Vista/7/8/8.1		
		$\rightarrow$ MAC OS x 10.6 x or later		
		MAG 03 x 10.0 x of fater		
	•	ENVIRONMENTAL CONDITIONS		
		→ Temperature		
		◆ Operating: 10-35°C		
		♣ Storage: -20 -60°C		
		Humidity		
		• Operating: 20 – 80% (No Condensation)		
		Storage: 20 – 80% (No Condensation)		
	•	ELECTRICAL SPECIFICATIONS		
		→ Rated Voltage: 5.0 V (USB Bus Power)		
	•	POWER CONSUMPTION		
		→ Operating: 2.5W		
		Ready: 1.1W		
		→ Power Off: 0.0125W		
	SCAN	NER (RESEARCH)		
	•	Scanner Type: Flatbed		
	•	Scanning Method: CIS (Contact Image Sensor)		
	•	Light Source: 3-colour (RGB) LED		
10	•	Optical 4800 x 4800 dpi	2	
19.	•	Scanning Bit Depth	2 units	
		→ Grayscale: 16-bit input		
		8-bit output		
		-		
		→ Colour: 48 – bit input (16-bit for each		
		colour)		

	40 011	<u> </u>				
	48 or 24-bit output (16-bit or 8-bit					
	for each colour)					
	Preview Speed: Approx. 9 secs					
	<ul> <li>Scanning Speed: Colour A4 Approx. 300 dpi 10</li> </ul>					
	secs					
	Scanning Speed (Reflective)					
	→ Grayscale, B&W: 4800dpi: 11.1 msec/line					
	2400dpi: 5.6 msec/line					
	1200dpi: 2.8 msec/line					
	600dpi: 1.4 msec/line					
	300dpi: 2.2 msec/line					
	→ Colour: 4800dpi: 33.2 msec/line					
	2400dpi: 16.7 msec/line					
	1200dpi: 8.4 msec/line					
	600dpi: 4.3 msec/line					
	300dpi: 2.2 msec/line • Max. Document Size: A4, LTR: 216 x 297mm					
	<ul> <li>Scanner Buttons (EZ 5 buttons (PDF x 2, Autoscan, Copy, Send)</li> </ul>					
	Interface Operating Environment					
	→ Temperature: 5 - 35°C					
	→ Humidity: 10-90% RH (no dew					
	condensation)					
	→ Power Supply: Supplied via USB port					
	→ Power: Maximum Approx. 2.5W during					
	operation, Standby: Approx. 1.4 W OFF,					
	Approx (Suspend) 11mW					
	Flash Drive (OSAS, CAS)					
	Capacities: 8 Gb					
20.	<ul> <li>Compatible with: Windows® 8, Windows 7,</li> </ul>	7 units				
	Windows Vista®, Windows XP, Mac OS X v.					
	10.6x+, Linux v.2.6.x+					
	1 TB External Hard Disk (FMSO, IAU)					
	• 1.0 TB Storage Cap; 3.0 USB Port;5,120					
21.	megabits/second: Max Transfer Speed; With	2 units				
	Speed; With backup and security software; With					
	plug-and-play capability; With anti-shock					
	protection casing, etc.					
	Hard Drive (CAS, Property and Supply)					
	<ul><li>Capacity: 2 TB</li><li>USB powered portable add-on storage</li></ul>					
	<ul> <li>Easy to use with no software to install.</li> </ul>					
22.	<ul> <li>Easy to use with no software to instant.</li> <li>Protects drive (Internal Shock Sensor and ramp</li> </ul>	3 units				
	Loading Technology)					
	<ul> <li>Accommodates large digital files with spacious</li> </ul>					
	storage capacity					
	storage capacity					

23.	<ul> <li>External Hard Drive (RESEARCH)</li> <li>Military-grade shock resistance</li> <li>Super speed USB 3.0 compliant and backwards compatible with USB 2.0</li> <li>Advanced 3-stage shock rubber outer case</li> <li>Advanced internal hard drive suspension system, press to reconnect the drive without having to unplug and replug the USB connector again</li> <li>One Touch Auto-Backup button</li> </ul>	4 units	
24.	CD Rewritable	25 pcs	
25.	<ul> <li>System Requirements: Microsoft® Windows® XP (32-bit) Home/Professional/Tablet PC/Media Center (32-bit) with Service Pack 2 or later Microsoft Windows Vista® (32-bit and 64-bit) Starter/Home Basic/Home Premium/Business/Ultimate with Service Pack 1 or later, Microsoft Windows 7 (32-bit and 64-bit) Starter/Home Basic/Home Premium/Ultimate, Microsoft Windows 8 and Windows 8 Pro (32-bit and 64-bit), Microsoft Windows 10 (32-bi and 64-bit)</li> <li>Minimum Hardware Requirements: 300 MHz for Microsoft Windows XP, 1 GHz for Microsoft Windows Vista/Windows 7/Windows 8/Windows 10, 256Mb of RAM, 300 Mb of available hard disk space, CD-ROM or DVD drive (if not installing via electronic download), Microsoft Internet Explorer® 7.0 or higher (32-bit only)</li> <li>Support for Antispam: Microsoft Outlook®2002 or later, Microsoft Outlook Express 6.0 or later, Windows Mail (spam filtering only)</li> <li>Browser Support for Vulnerability Protection: Microsoft Internet Explorer 7.0 or higher (32-bit only), Mozilla Firefox (32-bit only)</li> </ul>	2 units	

# SECTION VIII BIDDING FORMS

### **List of Forms**

Form No.	Title
BatStateU Goods Form No. 1	Bid Form
BatStateU Goods Form No. 2	List of On-going Government and Private
	Contracts including Contracts Awarded but not
	yet started
BatStateU Goods Form No. 3	Statement of all Government and Private
	completed contracts which are similar in nature
BatStateU Goods Form No. 4	Net Financial Contracting Capacity
BatStateU Goods Form No. 5a	Bank Guarantee
BatStateU Goods Form No. 5b	Surety Bond
BatStateU Goods Form No. 5c	Bid Securing Declaration
BatStateU Goods Form No. 6	Conformity with Technical Specifications and
	Schedule of Requirements
BatStateU Goods Form No. 7	Omnibus Sworn Statement
BatStateU Goods Form No. 8	Request for Clarification
BatStateU Goods Form No. 9	Bill of Quantities

			BID	FORM		
					Date:	
То:	ATTY. EDGAR BAC Chairman Batangas Stat Batangas City	e University				
Gentle	emen and / or La	adies:				
perfor	t of which is m][description of	hereby duly of the Goods] in	acknowledge, v	we, the under h the said Bidd	ulletin Numbers [inso signed, offer to [su ling Documents for th ith and made part of t	<i>pply / deliver ,</i> ne sum as may be
specifi	We undertake ied in the Sched			er the goods in	accordance with the	delivery schedule
within		-	ndertake to prov	ide a performa	nce security in the fo	rm, amounts, and
and it					n the <u>BDS</u> provision for efore the expiration of	
contra			if any, paid or to I the contract, are		s to agents relating to	o this Bid, and to
Name Addre	and ss of agent		Amount and Currency		Purpose of Commission or Gratuity	
(if nor	ne, state "None")			-		
therec			epared and execut all be binding upo		ether with your writte	enacceptance
	We understan	d that you are	not bound to acce	pt the lowest o	r any bid you mayrece	ive.
Biddin	We certify / ong Documents.	confirm that w	re comply with th	ne eligibility re	quirements as per <b>IT</b>	<b>B</b> Clause 5 of the
Dated	this	_day of	, 2015.			
[Signa	ture]	_		[in the capaci	ty of]	
Duly a	uthorized to sig	n Bid for and o	n behalf of			

#### List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name : Business Address :								
Name of Contract/	a. Owner's Name		Bidder's Role		a. Date Awarded	% of Accomplishment		Value of Outstanding
Project Cost	b. Address c. Telephone Nos.	Nature of Work	Description	%	b. Date Started c. Date of Completion	Planned	Actual	Works / Undelivered Portion
Government								
<u>Private</u>								
Note: This statement shall be supported with:  Total Cost								
1 Notice of Award and/or Contract	t							

- 2 Notice to Proceed issued by the owner
- 3 Certificate of Accomplishments signed by the owner or authorized representative

Submitted by	:
-	(Printed Name & Signature)
Designation	:
Date	<b>:</b>

#### Statement of all Government & Private Contracts completed which are similar in nature

Name of Contract	a. Owner's Name		Bidder's Rol	e	a. Amount at Award	a. Date Awarded
Titalio or dollar dol	<ul><li>b. Address</li><li>c. Telephone Nos.</li></ul>	Nature of Work	Description	%	b. Amount at Completion	b. Contract Effectivity
<u>Government</u>						
<u>Private</u>						
Note: This statement shall be supporte 1 Contract	d with:					

- 2 Certificate of Completion
- 3 Certificate of Acceptance

Submitted by	:	
J	(Printed Name & Signature)	
Designation	:	_
Date	:	

#### NET FINANCIAL CONTRACTING CAPACITY

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NIEGO II (						

asset – current liabilities) minus value of all outstanding works under ongoing warded contracts yet to be started
duration of one year or less, 15 for more than one year up to two years and 20 for more
certified true copies of the income tax return and audited financial statement the BIR or BIR authorized collecting agent for the immediately preceding year.
ibutor / Manufacturer
Representative

NOTE:

1. If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

# BID SECURITY (BANK GUARANTEE)

	<u>(Name of Bidder)</u> (hereinafter called "the Bidder") has submitted his bid dated <u>(Date)</u> for the <u>Contract)</u> (hereinafter called "the Bid").
office at called "the	MEN by these presents that We <u>(Name of Bank)</u> of <u>(Name of Country)</u> having our registered (hereinafter called "the Bank" are bound unto <u>(Name of Employer)</u> (hereinafter Employer") in the sum of <u> </u> ² for which payment well and truly to be made to the said e Bank binds himself, his successors and assigns by these presents.
SEALED with	h the Common Seal of the said Bank this day of 20
THE CONDI	ΓΙΟΝS of this obligation are:
1)	If the Bidder withdraws his Bid during the period of bid validity specified in the Form of Bid; or
2)	If the Bidder does not accept the correction of arithmetical errors of his bid price in accordance with the Instructions to Bidder; or
3)	If the Bidder having been notified of the acceptance of his bid by the Employer during the period of bid validity:
	a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
	b) fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders;
Employer ha	te to pay to the Employer up to the above amount upon receipt of his first written demand, without the aving to substantiate his demand, provided that in his demand the Employer will note that the amount him is due to him owning to the occurrence of one or both of the two (2) conditions, specifying the addition or conditions.
submission Employer, n	tee will remain in force up to and including the date3 days after the deadline for of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the otice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee in the Bank not later than the above date.
DATE	SIGNATURE OF THE BANK
WITNESS	SEAL
(Signature, N	Name and Address)

 $<sup>^2</sup>$  The bidder should insert the amount of the guarantee in words and figures, denominated in the currency of the Employer's country or an equivalent amount in a freely convertible currency. This figure should be the same as shown of the Instructions to Bidders.

<sup>&</sup>lt;sup>3</sup> Úsually 28 days after the end of the validity period of the Bid. Date should be inserted by the Employer before the bidding documents are issued.

# BID SECURITY SURETY BOND

BOND NO.: _		DATE BOND EXECUTED:
(Name of States	Surety he cou firmly ne sum e said	<u>(Name of Bidder)</u> (hereinafter called "the Principal") as Principal and of the country of <u>(Name of Country of Surely)</u> , authorized to transact antry of <u>(Name of Country of Employer)</u> (hereinafter called "the Surety") bound unto <u>(Name of Employer)</u> (hereinafter called "the Employer") as n of1 for the payment of which sum, well and truly to be Principal and Surety bind ourselves, our successors and assigns, jointly and these presents.
SEALED with	our s	eals and dated this day of 20
		ncipal has submitted a written Bid to the Employer dated the day of, for the (hereinafter called "the Bid").
NOW, THERE	EFORE	, the conditions of this obligation are:
1)		Principal withdraws his Bid during the period of bid validity specified in the of Bid; or
2)		e Principal does not accept the correction of arithmetical errors of his bid in accordance with the Instruction's to Bidders: or
3)		e Principal having been notified of the acceptance of his Bid by the Employering the period of bid validity:
	a)	fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
	b)	fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders;
then this obli	igation	shall remain in full force and effect, otherwise it shall be null and void.

¹ The bidder should insert the amount of bond in words and figures, denominated in the currency of the Employer's country of an equivalent amount in a freely convertible currency and callable on demand. This figure should be the same as shown in the Instructions to Bidders.

#### PROVIDED HOWEVER, that the Surety shall not be:

- a) liable for a greater sum than the specified penalty of this bond, nor
- b) liable for a greater sum that the difference between the amount of the said Principal's Bid and the amount of the Bid that is accepted by the Employer.

This Surety executing this instrument hereby agrees that its obligation shall be valid for 120 calendar days after the deadline for submission of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Surety is hereby waived.

PRINCIPAL	SURETY
SIGNATURE(S)	SIGNATURES(S)
NAME(S) AND TITLE(S)	NAME(S)
SFAI.	SFAI.

		F THE PHILIPPINES)
		BID-SECURING DECLARATION  Invitation to Bid No[insert reference number]
То:		ANGAS STATE UNIVERSITY L AVENUE, BATANGAS CITY
I / We	, the ui	ndersigned, declare that:
1.	•	ve understand that, according to your conditions, bids must be supported by a Bidrity, which may be in the form of a Bid-Securing Declaration.
2.	with Orde	e accept that: (a) I / we will be automatically disqualified from bidding for any contract any procuring entity for the period of two (2) years upon receipt of your Blacklisting r; and (b) I / we will pay the applicable fine provided under Section 6 of the Guidelines be Use of Bid Securing Declaration, if I / we have committed any of the following hs:
	-	Vithdrawn my / our Bid during the period of bid validity required in the Bidding ocuments; or
	n a	ail or refuse to accept the award and enter into contract or perform any and all acts ecessary to the execution of the contract, in accordance with the Bidding Documents fter having been notified of your acceptance of our Bid during the period of bid alidity.
3.		e understand that this Bid-Securing Declaration shall cease to be valid on the following mstances:
	a	Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
	b	I am / we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I / we failed to timely file a request for reconsideration or (ii) I / we filed a waiver to avail of said right;
	c]	I am / we are declared as the bidder with the Lowest Calculated and Responsive Bid / Highest Rated and Responsive Bid, and I / we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I / we have hereunto set my / our hand/s this \_\_\_\_ day of

Name of Bidder
Authorized Representative
Legal Capacity
Affiant

Batangas State University
Bidding Documents (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)

BatStateU-Goods Form No. <u>5c</u>

SUBSCRIBED AND SWORN to before, Philippines. Affiant /s is / are identified by me through competent evidence of ident Practice (A.M.) No. 02-8-13-SC). Affiant/s exhibited identification card used, with his / her photograph and and his / her Community Tax Certificate No i Witness my hand and seal this day of	e personally known to me and was / were city as defined in the 2004 Rules on Notarial to me his / her [insert type of government d signature appearing thereon, with no issued on at
S N R P	IAME OF NOTARIAL PUBLIC erial No. of Commission lotary Public for until coll of Attorney's No TR No, [date issued], [place issued] BP No, [date issued], [place issued]
Doc. No Page No Book No Series of	

## **CONFORMITY WITH SCHEDULE OF REQUIREMENTS**

Item No.	Specifications	QTY.	REMARKS  Comply/Not Comply
1.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> </ul>	36 units	
2.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> <li>With DVD Writer</li> </ul>	1 unit	
3.	PRINTER (Lipa Campus, Extension Services, Health Services, Health Services - Rosario Campus, CIT)  • Printing  → Print Method: On-demand ink jet  → Nozzle Configuration: 180 nozzles Black, 59 nozzles each colour (Cyan, Magenta, Yellow)  → Print Direction: Bi-directional printing, Uni-	14 units	

Bidding Doo	uments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
Bidding Doo	directional printing  Maximum Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology)  Minimum Ink Droplet Volume: 3pl  Print Speed  Max Black Draft Text - Memo (A4): Approx. 27 ppm / 15 ppm (Bk/Cl)  ISO 24734, A4: Approx. 6.0 ipm / 3.0 ipm (Bk/Cl))  Max Photo Draft - 10x15cm/4x6": Approx. 27 sec per photo (W/Border)  Photo Default - 10x15cm/4x6": Approx. 69 sec per photo (W/Border)  Copying  Copy Speed  Max. Black Draft Text - Memo (A4): Approx. 5 sec (Draft)  Max. Colour Draft Text - Memo (A4): Approx. 10 sec (Draft)  Copy Mode Standard copy mode  Maximum Copies From Standalone 20 sheets (fixed)  Scanning  Scanner Type: Flatbed colour image scanner  Sensor Type: CIS  Optical Resolution 600 x 1200 dpi  Maximum Scan Area 216 x 297mm (8.5 x 11.7")  Scanner Bit Depth  Colour: 48-bit internal, 24-bit external  Grayscale: 16-bit internal, 8-bit external		
	external  → Scan Speed  - Monochrome 300 dpi: 2.4 msec/line		
	<ul> <li>Colour 300 dpi: 9.5 msec/line</li> <li>Monochrome 600 dpi: 7.2 msec/line</li> <li>Colour 600 dpi: 14.3 msec/line</li> </ul>		
	PRINTER (RESEARCH)		
	<ul> <li>Functions: Print, Copy, Scan, Photo</li> </ul>		
	<ul><li>Printing Specifications:</li></ul>		
	→ Print speed black:		
4.	♣ ISO: Up to 8.8 ppm	4 units	
7.	Draft: Up to 21 ppm	T units	
	→ Print Speed Color:		
	♣ ISO: Up to 5.2 ppm		
	♣ Draft: Up to 17 ppm		
	First page out (ready)		

- ♣ Black: As fast as 19 sec
- ♣ Color: As fast as 24 sec
- → Duty cycle (monthly, A4)
  - Up to 1000 pages
- Recommended monthly page volume
  - 4 300 to 400
- → Print Technology: Thermal Inkjet
- → Printer quality (best)
  - Color: Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected photo papers and 1200 input dpi)
  - ♣ Black: Up to 1200 x 600 rendered dpi (when printing from a computer)
- → Display: 5 cm (2.0") Hi-Res Mono LCD
- → Processor Speed: 360 MHz
- Number of print cartridges: 2 total, 1 − black, 1 tri − color cyan, magenta, yellow)

#### Connectivity

- → Wireless Capability: Yes
- Connectivity Standard: 1 Hi-Speed USB 2.0 1 WiFi 802.11n
- Minimum System Requirements: Windows 8, 7:1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows XP SP3 or higher (32-bit only): Intel®Pentium® II, Celeron® or 233 MHz compatible processor, 750 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6.
- Mac OS X v. 10.6, OS X Lion, OS X Mountain Lion
- Intel® Core™ Processor
- → 1 GB HD
- → CD-ROM/DVD or Internet
- **→** USB

#### • Memory Specifications

- → Memory, standard: 32 MB DDR1 memory
- Paper Handling
  - Paper handling input, standard: Up to 100 sheets
  - Paper handling output, standard: 30-sheet output tray

#### Duplex Printing:

- Automatic (standard): Media sizes supported (A4, A5, B5, DL, C6, A6)
- Media sizes (custom): 76 x 127 to 216 x 356mm

Blading Do	ruments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Media types: Paper (plain, inkjet, photo),		
	envelopes, cards, iron-on transfers,		
	borderless media		
	Barcode scanner: 20 lb		
	Media weights, supported: 64 to 90 g/m <sup>2</sup>		
	<ul> <li>Scanner specifications</li> </ul>		
	Scanner type: Flatbed		
	Scan file format: PDF, BMP, PNG, TIF, JPG		
	Scan resolution (optical): Up to 1200 dpi		
	Bit depth: 24-bit		
	→ Scan size (flatbed), maximum: 216 x 297mm		
	Scan input methods: Front panel scan,		
	Front panel copy		
	• Copier Specifications		
	Copy resolution (black test): 600 x 600 dpi		
	<ul><li>Copy resolution (color text and graphics):</li><li>600 x 1200 dpi</li></ul>		
	Copy reduce/enlarge settings: 25 to 400%		
	Copies, maximum: Up to 50 copies		
	<ul> <li>Power and operating requirements</li> </ul>		
	Power: 100-240 V (+/-10%), 50/60 Hz		
	(+/-3 Hz)		
	Power Consumption: 13.07 watts		
	(printing, 2.51 watts (ready), 0.70 watts		
	(sleep), 0.20 watts (off)		
	Operating temperature range: 5 to 40°C		
	• Operating Humidity Range: 20 to 80% RH		
	Dimensions and weight		
	$\rightarrow$ Minimum dimensions (W x D x H) : 445 x		
	334 x 120mm		
	$\rightarrow$ Maximum dimensions (W x D x H) : 445 x		
	608 x 390mm		
	→ Weight: 5.49 kg		
	→ Package weight: 6.43 kg		
	PRINTER (OSAS)		
	• Functions Print convecan		
	<ul> <li>Functions: Print, copy, scan</li> </ul>		
	PRINTING SPECIFICATIONS:		
	FRINTING SEEGIFICATIONS.		
_	<ul> <li>Print speed black:</li> </ul>		
5.	→ ISO: Up to 7 ppm[1]	5 units	
	Draft: Up to 20 ppm		
	Print speed color:		
	→ ISO: Up to 4 ppm[1]		
	Draft: Up to 16 ppm		
	• First page out (ready)		
	→ Black: As fast as 17 sec		

Bidding Do	ruments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	→ Color: As fast as 24 sec		
	<ul> <li>Duty cycle (monthly, A4): Up to 1000 pages</li> </ul>		
	Number of print cartridges: 2 (1 black, 1 Tri-		
	color)		
	colory		
	CONNECTIVITY		
	CONNECTIVITI		
	Control in the standard Alli Control IICD 2.0		
	<ul> <li>Connectivity, standard: 1 Hi-Speed USB 2.0</li> </ul>		
	DADED WANDANIG		
	PAPER HANDLING		
	<ul> <li>Paper handling input, standard: 60-sheet input</li> </ul>		
	tray		
	<ul> <li>Paper handling output, standard: 25-sheet</li> </ul>	-	
	output tray		
	Duplex printing:Manual (driver support)	_	
	provided)		
	<ul> <li>Media sizes supported: A4, B5, A6, DL envelope</li> </ul>		
	<ul> <li>Media sizes supported: 11, 55, 116, 52 envelope</li> <li>Media sizes custom: 89 x 127 to 215 x 279 mm</li> </ul>		
	Media types: Paper (brochure, inkjet, plain)	'	
	photo paper, envelopes, labels, cards (greeting)		
	<ul> <li>Barcode scanner: 20 lb</li> </ul>		
	Media weights, supported:		
	A4: 60 to 90 g/m $^{2}$ ; HP envelopes: 75 to 90 g/m $^{2}$		
	HP cards: up to $200 \text{ g/m}^2$ ; HP $10 \times 15 \text{ cm photo}$	)	
	paper: up to 300 g/m <sup>2</sup>		
	SCANNER SPECIFICATIONS		
	<ul> <li>Scanner type: Flatbed</li> </ul>		
	<ul> <li>Scan file format: JPEG, TIFF, PDF, BMP, PNG</li> </ul>		
	• Scan resolution, optical: Up to 1200 dpi		
	<ul> <li>Bit depth: 24-bit</li> </ul>		
	• Scan size (flatbed), maximum: 216 x 297 mm		
	<ul> <li>Scan input modes: Front-panel scan</li> </ul>		
	COPIER SPECIFICATIONS		
	<ul> <li>Copy resolution (black text): Up to 600 x 300 dpi</li> </ul>		
	<ul> <li>Copy resolution (color text and graphics): Up to</li> </ul>		
	600 x 300 dpi		
	<ul> <li>Copies, maximum: Up to 9 copies</li> </ul>		
	- · · ·		
	PRINTER (SAN JUAN CAMPUS)		
	•		
	Printing Technology		
	→ Print Method: Impact dot matrix		
	Number of Pins in Head: 24 pins		
6.	→ Print Direction: Bi-direction with logic	2 units	
	seeking		
	→ Control Code: ESC/P2 and IBM PPDS		
	emulation		
	Cindidion		
			<u> </u>

Blading Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	<ul> <li>Print Speed</li> </ul>		
	→ High Speed Draft10/12 cpi: 347 / 416 cp	S	
	→ Draft10/12/15 cpi: 260 / 312 / 390 cps		
	→ Draft Condensed17/20 cpi: 222 / 260 cp		
	→ LQ10/12/15 cpi: 86 / 103 / 129 cps		
	→ LQ Condensed17/20 cpi: 147 / 172 cp	S	
	, , ,		
	<ul> <li>Print Characteristics</li> </ul>		
	<ul><li>Character Sets: Italic table, PC437 (US</li></ul>		
	Standard Europe), PC850 (Multilingual),		
	PC860 (Portuguese), PC861 (Icelandic),		
	PC863 (Canadian-French), PC865 (Nordic),		
	Abicomp, BRASCII, Roman 8, ISO Latin 1, Po	$\mathbb{S}^{  }$	
	858, ISO 8859-15		
	Ribbon Cartridge		
	→ Standard: Fabric Ribbon Cartridge		
	(Black)		
	→ Ribbon Life: Approx. 2.5 million		
	characters (Draft 10cpi, 48		
	dots/character)		
	→ Acoustic Noise: Approx. 53dB(A)		
	(ISO 7779 pattern)		
	PRINTER (BAC Office)		
	• Functions: Print		
	<ul> <li>First page out (ready) black: As fast as 5.6 sec</li> </ul>		
	<ul> <li>Monthly duty cycle: Up to 80,000 pages</li> </ul>		
	<ul> <li>Recommended monthly page volume: 750 to</li> </ul>		
	4000		
	Print Technology: Laser		
	Display: 2-line backlit LCD graphic display		
	<ul> <li>Processor speed: 1200 MHz</li> </ul>		
	<ul> <li>Number of print cartridges: 1 (black)</li> </ul>		
	<ul> <li>Replacement cartridges</li> </ul>		
	Print languages		
_	<ul> <li>Automatic paper sensor: No</li> </ul>	4	
7.	• Paper trays, standard: 2	1 unit	
	Paper trays, maximum: 3		
	Mobile Printing Capability		
	• Connectivity, standard: 1 Hi-Speed USB 2.0; 1		
	Host USB; 1 Gigabit Ethernet 10/100/1000T		
	network		
	<ul> <li>Network ready: Standard (built-in Gigabit Ethernet)</li> </ul>		
	<ul> <li>Ports: 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit</li> </ul>		
	Ethernet 10/100/1000T network		
	<ul> <li>Paper handling input, standard: 100-sheet</li> </ul>		
	multipurpose Tray 1, 250-sheet input Tray 2		
	<ul> <li>Paper handling output, standard: 150-sheet</li> </ul>		
	output bin		

Didding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	1	
	<ul> <li>Duplex printing: Automatic(standard)</li> </ul>		
	<ul> <li>Finished output handling: Sheetfed</li> </ul>		
	PRINTER (CAS)		
	<ul> <li>180 Nozzles Black, 59 Nozzles per Color</li> </ul>		
	<ul> <li>Minimum Droplet Size: 3pl</li> </ul>		
	<ul> <li>Printing Resolution: 5,760 x 1,440 DPI</li> </ul>		
	All-in-One Functions		
	<ul> <li>Printing Speed6 Pages/min Monochrome, 3</li> </ul>		
8.	Pages/min Color	3 sets	
0.	<ul> <li>Printing Speed: 69 seconds</li> </ul>	3 3613	
	<ul> <li>Scanner Type: Contact Image Sensor (CIS)</li> </ul>		
	Duplex: Manual		
	<ul> <li>Output Tray Capacity: 30 sheets</li> </ul>		
	<ul> <li>Paper Tray Capacity: 50 Sheets Standard, 50</li> </ul>		
	Sheets		
	Maximum: 10 Photo Sheets		
	LCD PROJECTOR WITH SCREEN (Extension Services)		
	Native Resolution: SVGA 800 x 600		
	Maximum Resolution: WUXGA 1920 x 1200		
	Brightness		
	Normal Mode: 3200 Lumens		
	Eco Mode: 2500 Lumens		
	• Lamp Life:		
	Normal Mode: 3500 hours		
	Eco Mode: 5000 hours		
	<ul><li>Lamp power: 230W UHP</li><li>Contrast Ratio: 3000:1</li></ul>		
	• Colours Wheel: 6 Segment, 2x Speed		
	<ul> <li>Input Sources: HDMI 1.4,VGA x 2,Composite</li> <li>Video,S-Video,3.5mm stereo input,RS232C,USB B</li> </ul>		
9.	Mini (control & firmware)	1 unit	
	Output Sources: Monitor out ( VGA), Audio out		
	(3.5mm)		
	Control: Projector Keypad, IR Remote, RS232, USB		
	Mini for mouse		
	Audible Noise: 30 dB Normal Mode ( 28 dB Eco		
	Mode)		
	<ul> <li>Computer Compatibility: PC, MAC</li> </ul>		
	• Projector Offset: 130% + 5%		
	<ul> <li>Lens Type: Manual zoom and focus</li> </ul>		
	• Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)		
	• Zoom Ratio: 1.1:1		
	Number of Colours: 16.7 million		
	Aspect Ratio: 4:3 (Native), Support		
	16:9,16:10,Auto		
	Synch - Horizontal Scan Freg: 31 - 100kHz		

Didding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	<ul> <li>Vertical Scan Freg: 50-120Hz</li> </ul>		
	<ul> <li>Video Compatibility: SDTV</li> </ul>		
	(NTSC,PAL,SECAM,480i,576i),ED/HDTV		
	(480p,576p,720p,1080i,1080p)		
	Audio: 2W mono		
	<ul> <li>Product Dimensions: 284 x 235x 70mm(WxDxH)</li> </ul>		
	Product Weight: .17kg (Estimated)		
	• Shipping Dimensions: 330 x 330x150mm		
	(WxDxH)		
	Shipping Weight: 3.67Kg ( Estimated)		
	Maximum Altitute: 3,048m		
	·		
	Operating Temperature: 5- 35C		
	Remote Control: Full Function (No Laser)		
	Security Features: Security lock slot, Security bar,		
	User PIN		
	Ships with Accessories: Power cord, VGA		
	cable, Safety instructions, User manual, Remote		
	control		
	LCD PROJECTOR (Research, CONAHS)		
	<ul> <li>Native Resolution: SVGA 800 x 600</li> </ul>		
	<ul> <li>Maximum Resolution: WUXGA 1920 x 1200</li> </ul>		
	Brightness		
	Normal Mode: 3200 Lumens		
	→ Eco Mode: 2500 Lumens		
	Lamp Life:		
	Normal Mode: 3500 hours		
	Eco Mode: 5000 hours		
	Lamp power: 230W UHP		
	• Contrast Ratio: 3000:1		
	Colours Wheel: 6 Segment, 2x Speed		
	<ul> <li>Input Sources: HDMI 1.4,VGA x 2,Composite</li> </ul>		
	_		
10.	Video,S-Video,3.5mm stereo input,RS232C,USB B	5 units	
	Mini (control & firmware)		
	Output Sources: Monitor out ( VGA), Audio out		
	(3.5mm)		
	Control: Projector Keypad,IR Remote,RS232,USB  Mini Control  To the Projector Keypad,IR Remote,RS232,USB  Mini Control  To the Projector Keypad,IR Remote,RS232,USB  To the Projector Keypad,IR Remote,RS232,USB		
	Mini for mouse		
	Audible Noise: 30 dB Normal Mode ( 28 dB Eco		
	Mode)		
	Computer Compatibility: PC, MAC		
	<ul><li>Projector Offset: 130% + 5%</li></ul>		
	<ul> <li>Lens Type: Manual zoom and focus</li> </ul>		
	• Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)		
	• Zoom Ratio: 1.1:1		
	Number of Colours: 16.7 million		
	Aspect Ratio: 4:3 (Native), Support		
	16:9,16:10,Auto		
	1 2017/20120/2000	l	l .

Braumg Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Synch - Horizontal Scan Freg: 31 - 100kHz		
	<ul> <li>Vertical Scan Freg: 50-120Hz</li> </ul>		
	Video Compatibility: SDTV		
	(NTSC,PAL,SECAM,480i,576i),ED/HDTV		
	(480p,576p,720p,1080i,1080p)		
	Audio: 2W mono		
	<ul> <li>Product Dimensions: 284 x 235x 70mm(WxDxH)</li> </ul>		
	<ul> <li>Product Weight: .17kg (Estimated)</li> </ul>		
	• Shipping Dimensions: 330 x 330x150mm		
	(WxDxH)		
	<ul> <li>Shipping Weight: 3.67Kg (Estimated)</li> </ul>		
	Maximum Altitute: 3,048m		
	<ul> <li>Operating Temperature: 5- 35C</li> </ul>		
	Remote Control: Full Function ( No Laser)		
	<ul> <li>Security Features: Security lock slot, Security bar,</li> </ul>		
	User PIN		
	Ships with Accessories: Power cord, VGA		
	cable, Safety instructions, User manual, Remote		
	control		
	LAPTOP (RESEARCH)		
	Operating System: Windows 8.1		
	CPU: Intel Core i7-4510U Processor 2.0 Ghz		
	RAM and Hard Disk Drive (HDD): 8 GB RAM and		
	1TB HDD		
11.	Graphics: 2 GB AMD Radeon HD R7 M265      Management of the little particles of TR HDD	1 unit	
	Memory and expandability options: 1 TB HDD		
	Connectivity options: Wireless LAN 802.11 b/g     Compare resolution (MP), HP with some		
	Camera resolution (MP): HD webcam  Pattern type and shargs (mAb): G call Pattern  A pattern type and shargs (mAb): G call Pattern  A pattern type and shargs (mAb): G call Pattern  A pattern type and shargs (mAb): G call Pattern  A pattern type and shargs (mAb): G call Pattern  A pattern type and shargs (mAb): G call Pattern  A pattern type and shargs (mAb): G call Pattern  A pattern type and sharps (mAb): G call Pattern ty		
	Battery type and charge (mAh): 6-cell Battery     Ontired drive (CD): DVD: / PW		
	• Optical drive(CD): DVD+/-RW		
	Power Consumption: 220V/60 Hz  LAPTOP (CONAHS)		
	Operating System: Windows 8.1 Pro, Windows		
	8.1		
	<ul> <li>Memory: DDR3 MHz SDRAM, up to 8 G</li> </ul>		
	<ul> <li>Display: 14.0" Auto HD (1366x768)</li> </ul>		
	• Storage: 2.5" SATA		
	320GB HDD 5400 RPM		
	500GB HDD 5400 RPM		
12.	750GB HDD 5400 RPM	1unit	
	1TB HDD 5400 RPM		
	Optical Drive: Super-Multi DVD		
	Card Reader: card reader ( SD SDHC )		
	Camera: VGA Web Camera		
	Networking: Integrated 802.11 b/g/n		
	10/100 Base T		
	BT 4.0 support (on WLAN+ BT 4.0		
	combo card)		

Braumg Bo	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	
	<ul> <li>Interface: 1 x COMBO audio jack</li> </ul>	
	1 x VGA port/Mini D-sub 15-pin for	
	external monitor	
	1 x USB 3.0 port(s)	
	1 x USB 2.0 port(s)	
	1 x RJ45 LAN Jack for LAN insert	
	1 x HDMI	
	1 x Display Port	
	Power Adapter	
	• Output :19 V DC, 1.75 A, 33 W	
	Input :100 -240 V AC, 50/60 Hz universal	
	NOTEBOOK COMPUTER (IAU)	
	• 1.6 MHz, Processor Speed; 1-2 GB RAM; 10.1"	
13.	Display; 500 MB HDD; Graphics; Integrated;	1 unit
	Built-in Microphone and Webcam; Touchpad;	
	MMC/SD; Battery: Lithium Ion; Interfaces: USB,	
	Audio, Video, Ethernet, Latest Windows OS, etc.  PROJECTOR (BALAYAN CAMPUS)	
	FROJECTOR (BALATAN CAMPOS)	
	Display system:     3 LCD system	
	Display system.     Display device - Size of effective display area:	
	0.63" (16.0 mm)	
	Display device - Number of pixels: XGA (1024 x)	
	768)	
	Display device - Aspect ratio: 4:3	
	Projection lens – Focus: Manual	
	<ul> <li>Projection lens - Zoom &gt; Powered / Manual:</li> </ul>	
	Manual	
	• Projection lens - Throw ratio: 1.40:1 to	
	2.27:1	
	Light source – Type: Lamp	
	Light source Wattage: 210 W type	
	• Screen size: 30" to 300"	
14.	• Screen size: (0.76 m to 7.62 m)	2 units
	• Light output : Lamp mode: High: 3700 lm	
	• Light output : Lamp mode: Standard: 2700	
	lm	
	<ul> <li>Light output : Lamp mode: Low 2100 lm</li> </ul>	
	• Color light output : Lamp mode High: 3700	
	lm	
	Color light output : Lamp mode Standard: 2700	
	lm(The values are estimatel)	
	• Color light output : Lamp mode: Low: 2100	
	lm(The values are estimatel)	
	Contrast ratio (full white / full black)(This value)	
	is average) 3000:1	
	• Input : Composite video > Pin Jack 1	
	• Input: S video > Mini DIN 4-pin 1	
	• Input : Computer > Mini D-sub 15-pin 2	
	Output : Monitor > Mini D-sub 15-pin	

#### 1(From INPUT A and INPUT B)

- I/O, Control, Others : RS-232C > D-sub 9-pin 1 (male)
- I/O, Control, Others : LAN > RJ-45, 10BASE-T/100BASE-TX 1
- I/O, Control, Others : IR (Control S) input > Stereo mini jack, Plug in power DC 5 V
- I/O, Control, Others : IR (Control S) output > Stereo mini jack –
- I/O, Control, Others : USB > Type A: 1
- I/O, Control, Others : USB > Type B: 1
- I/O, Control, Others: Wireless IFU-WLM3(Option)(Connect to USB Type-A terminal)
- Keystone correction (Max.)(Depends on resolution): Vertical +/- 30°
- Power requirements AC 100 V to 240 V
- Power requirements 2.8 A to 1.2 A, 50/60 Hz
- Power consumption : AC 100 V to 120 V > Lamp mode: High 276 W
- Power consumption : AC 100 V to 120 V > Lamp mode: Standard: 225 W
- Power consumption : AC 220 V to 240 V > Lamp mode: High: 268 W
- Power consumption : AC 220 V to 240 V > Lamp mode: Standard: 218 W
- Power consumption AC 220 V to 240 V > Lamp mode: Low: 189 W
- Standby mode power consumption AC 100 V to 120 V > Standard: 5.9 W
- Standby mode power consumption AC 100 V to 120 V > Low: 0.5 W
- Standby mode power consumption :AC 220 V to 240 V > Standar:d 5.9 W
- Standby mode power consumption AC 220 V to 240 V > Low: 0.5.W
- Heat dissipation AC 100 V to 120 V: 942
   BTU
- Heat dissipation AC 220 V to 240 V: 915 BTU
- Dimensions (W x H x D) (without protrusions): 365 x 96.2 x 252 mm
- Dimensions (W x H x D) (without protrusions:)  $143/8 \times 325/32 \times 929/32$  in
- Mass 3.8 kg / 8 lb 6 oz
- Supplied accessories Remote commander: RM-PJ8
- Optional accessories Replacement lamp: LMP-E212
- Optional accessories Wireless LAN Module:

	ruments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	IFU-WLM3		
	PROJECTOR (OSAS) 112a		
15.	<ul> <li>PROJECTOR (OSAS) 112a</li> <li>Native Aspect Ratio: 4x3</li> <li>Technology: DLP</li> <li>Resolution: SVGA(800x600)</li> <li>Lumens (Eco/High): 2800/3000</li> <li>Contrast: 15000</li> <li>3D: Supports 3D content from Blu-ray, cable boxes, dish services and more (over HDMI) at 144Hz and PC-based 3D content at 120Hz. DLP Link 3D glasses required.</li> <li>Closed Captioning: Yes</li> <li>Speakers: 2W (1 x 2W)</li> <li>Audible Noise (Eco/High, dBA): 29/30</li> <li>Keystone: ± 40°</li> <li>Lamp: SP-LAMP-086</li> <li>Lamp Hours (Eco/High): 10000/5000</li> <li>Connections: HDMI 1.4, VGA x 2, Composite video, S-Video, 3.5 mm stereo in x 2, 3.5mm stereo out, RS232C</li> <li>Image Offset: 15</li> <li>Lens Shift: Horz (min/max): None</li> <li>Lens Shift: Vert (min/max): None</li> <li>Throw Ratio: 2.2~1.9</li> <li>Weight(lbs/kg): 5.4/2.5</li> <li>Product Dimensions HxWxD: 8.7in x 11.5in x 4.7in (220mm x 292mm x 121mm)</li> <li>Shipping Weight(lbs/kg): 7.1/3.2</li> <li>Shipping Dimensions HxWxD: 12in x 14.25in x 7.75in (305mm x 362mm x 197mm)</li> <li>Power consumption: (Max, Watts)</li> </ul>	9 units	
16.	<ul> <li>PROJECTOR (CAS)</li> <li>Technology: DLP Projector</li> <li>Image Brightness: 2700 ANSI lumens</li> <li>Image Contrast Ratio: 13000:1</li> <li>Native Resolution: SVGA (800 x 600)</li> <li>Maximum Resolution: 1920 x 1080 pixels</li> <li>Native Aspect Ratio: 4:3</li> <li>Lamp Life: Up to 7000h</li> <li>Zoom Type: Digital zoom/Manual Zoom</li> <li>Digital Zoom Factor: 2x</li> <li>HDTV Standards: 480p, 576p, 720p, 1080i</li> </ul>	2 units	
	<ul><li>Interface:</li><li>→ 1 x VGA</li></ul>		

	1 17:1.		
	1 x Video		
	1 x S-Video		
	→ 1 x USB 2.0		
	- Footunes		
	• Features:		
	→ DLP 3D ready, Color Boost II, Color Safe II,		
	Eco Projection		
	PROJECTOR (SAN JUAN CAMPUS)		
	Display Specifications		
	Aspect Ratio (Native): 4:3		
	→ Aspect Ratio (Supported): 4:3, 5:4, 16:9,		
	16:10		
	Resolution (Native): XGA (1024 x 768)		
	Resolution (Max): UXGA (1600 x 1200)		
	Contrast Ratio: 4000: 1		
	→ 3D Capable: Yes		
	Closed Captioning: Yes		
	Color Wheel: 6-segment		
	Computer Compatibility: PC, Mac		
	Display Technology: DLP		
	Number of Colors: 16.7 million		
	Projection Presets: Presentation, Video,		
	Bright, Whiteboard, Blackboard, Beige Wall,		
	User		
17.	Projector Placement: Front, Ceiling, Rear	3 units	
	→ Video Compatibility: SDTV (NTSC, PAL,  CECAN 400: 576:) -1 (NDTV (400 - 576)		
	SECAM, 480i, 576i), ed/HDTV (480p, 576p,		
	720p, 1080i, 1080p)		
	<ul> <li>Audio</li> </ul>		
	Speakers: 2W (1 x 2W)		
	opomicion zin (zin zin)		
	<ul> <li>Connectivity</li> </ul>		
	→ Connections: VGA x 2, S-video, Composite		
	Stereo 3.5mm Mini Jack input, RS232,		
	Stereo 3.5mm Mini Jack Output		
	Composite (RCA): 1		
	→ Monitor (Output): VGA		
	→ RS232: 1		
	→ S-Video: 1		
	Stereo 3.5mm Mini Jack Input: 1		
	Stereo 3.5mm Mini Jack Output: 1		
	→ VGA: 2		
	SCANNER (FMSO)		
18.	Scanner Type: Flatbed colour image scanner	1 unit	
10.	<ul> <li>Optical Resolution: 4800 dpi x 4800</li> </ul>	I unit	
	<ul> <li>Document Size: Up to 216 x 297 mm</li> </ul>		
	Interface: Hi-Speed USB 2.0		
	- Interface. In-speed 03D 2.0		

#### **CONFIGURATION**

- Optical Sensor: Contact Image Sensors (CIS)
   40,800 pixels x 56,160 pixels
   (4800 dpi)
- Light Source: LED
- Sub-Scanning Method: Fixed Document and moving carriage

#### **PERFORMANCE**

Output Resolution: 50 dpi to 4800 dpi, 7200 dpi, 9600 dpi
 (50 dpi to 4800 dpi in 1 dpi increments)

#### PIXEL DEPTH

Colour: 48-bit input, 24-bit outputGrayscale: 16-bit input, 8-bit output

→ Black and White: 16-bit input, 1-bit output

#### SCANNING SPEED

→ Reflective Scanning: DPISpeed:

→ Preview: -10.4 sec

→ 1-bit Monochrome: 30010.4 sec

60012.0 sec 120037.0 sec

→ 24-bit Colour: 3009.9 sec

60029.0 sec 1200103.0 sec

#### **FUNCTIONS**

- Driver and Bundled Software:
  - Document Capture Pro (Win)/Document Capture (Mac)
  - → Photo Scan
  - → Event Manager
  - Copy Utility

#### • SUPPORTED PLATFORMS

- Operating Systems: Microsoft Windows XP SP2/Vista/7/8/8.1
- → MAC OS x 10.6 x or later

#### ENVIRONMENTAL CONDITIONS

→ Temperature

♣ Operating: 10-35°C♣ Storage: -20 -60°C

→ Humidity

Bluding Docu	ments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	
	Operating: 20 – 80% (No Condensation)	
	Storage: 20 – 80% (No Condensation)	
	<ul> <li>ELECTRICAL SPECIFICATIONS</li> </ul>	
	→ Rated Voltage: 5.0 V (USB Bus Power)	
	Tracea veriager elle v (eebb bas i ewer)	
	<ul> <li>POWER CONSUMPTION</li> </ul>	
	→ Operating: 2.5W	
	Ready: 1.1W	
	→ Power Off: 0.0125W	
3	CANNER (RESEARCH)	
	• Scanner Type: Flatbed	
	<ul> <li>Scanning Method: CIS (Contact Image Sensor)</li> </ul>	
	<ul> <li>Light Source: 3-colour (RGB) LED</li> </ul>	
	<ul> <li>Optical 4800 x 4800 dpi</li> </ul>	
	<ul> <li>Scanning Bit Depth</li> </ul>	
	→ Grayscale : 16-bit input	
	8-bit output	
	Colour: 48 – bit input (16-bit for each	
	colour)	
	48 or 24-bit output (16-bit or 8-bit	
	for each colour)	
	<ul> <li>Preview Speed: Approx. 9 secs</li> </ul>	
	• Scanning Speed: Colour A4 Approx. 300 dpi 10	
	secs	
	<ul> <li>Scanning Speed (Reflective)</li> </ul>	
	→ Grayscale, B&W: 4800dpi: 11.1 msec/line	
	2400dpi: 5.6 msec/line	
19.	1200dpi: 2.8 msec/line	2 units
17.	600dpi: 1.4 msec/line	
	300dpi: 2.2 msec/line  → Colour: 4800dpi: 33.2 msec/line	
	2400dpi: 16.7 msec/line	
	1200dpi: 8.4 msec/line	
	600dpi: 4.3 msec/line	
	300dpi: 2.2 msec/line	
	Max. Document Size: A4, LTR: 216 x 297mm	
	• Scanner Buttons (EZ 5 buttons (PDF x 2,	
	Autoscan, Copy, Send)	
	Interface Operating Environment	
	→ Temperature: 5 - 35°C	
	→ Humidity: 10-90% RH (no dew	
	condensation)	
	→ Power Supply: Supplied via USB port	
	Power: Maximum Approx. 2.5W during	
	operation, Standby: Approx. 1.4 W OFF,	
	Approx (Suspend) 11mW	

Didding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
20.	Flash Drive (OSAS, CAS)  • Capacities: 8 Gb		
	*	<b>.</b>	
	Compatible with: Windows® 8, Windows 7,	7 units	
	Windows Vista®, Windows XP, Mac OS X v.		
	10.6x+, Linux v.2.6.x+		
	1 TB External Hard Disk (FMSO, IAU)		
21.	• 1.0 TB Storage Cap; 3.0 USB Port;5,120		
	megabits/second: Max Transfer Speed; With	2 units	
21.	Speed; With backup and security software; With	2 units	
	plug-and-play capability; With anti-shock		
	protection casing, etc.		
	Hard Drive (CAS, Property and Supply)		
	Capacity: 2 TB		
	USB powered portable add-on storage		
	Easy to use with no software to install.		
22.	Protects drive (Internal Shock Sensor and ramp	3 units	
	Loading Technology)		
	5 5 7		
	Accommodates large digital files with spacious     storage gapagity.		
-	storage capacity		
	External Hard Drive (RESEARCH)		
	Military-grade shock resistance		
	Super speed USB 3.0 compliant and backwards		
	compatible with USB 2.0		
	<ul> <li>Advanced 3-stage shock rubber outer case</li> </ul>		
23.	<ul> <li>Advanced internal hard drive suspension</li> </ul>	4 units	
	system, press to reconnect the drive without		
	having to unplug and replug the USB connector		
	again		
	One Touch Auto-Backup button		
24.	CD Rewritable	25 pcs	
	To Tradic	20 pcs	
	Antivirus		
	System Requirements: Microsoft® Windows®		
	XP (32-bit) Home/Professional/Tablet PC/Media		
	Center (32-bit) with Service Pack 2 or later		
	Microsoft Windows Vista® (32-bit and 64-bit)		
	Starter/Home Basic/Home		
	Premium/Business/Ultimate with Service Pack 1		
	or later, Microsoft Windows 7 (32-bit and 64-bit)		
25.	Starter/Home Basic/Home Premium/Ultimate,	2 units	
	Microsoft Windows 8 and Windows 8 Pro (32-bit		
	and 64-bit), Microsoft Windows 10 (32-bi and		
	64-bit)		
	Minimum Hardware Requirements: 300 MHz for		
	Microsoft Windows XP, 1 GHz for Microsoft		
	Windows Vista/Windows 7/Windows		
	8/Windows 10, 256Mb of RAM, 300 Mb of		
	•		
	available hard disk space, CD-ROM or DVD drive		

Blading Bottiments (Based on Nevisea Mix of Nat 710 ), Fourth Baldon, Betelmber 2010)				
	(if not installing via electronic download),			
	Microsoft Internet Explorer® 7.0 or higher (32-			
	bit only)			
	<ul> <li>Support for Antispam: Microsoft Outlook®2002</li> </ul>			
	or later, Microsoft Outlook Express 6.0 or later,			
	Windows Mail (spam filtering only)			
	<ul> <li>Browser Support for Vulnerability Protection:</li> </ul>			
	Microsoft Internet Explorer 7.0 or higher (32-bit			
	only), Mozilla Firefox (32-bit only)			

### **CONFORMITY WITH TECHNICAL SPECIFICATIONS**

Item No.	Specifications	QTY.	REMARKS Comply/Not Comply
1.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> </ul>	36 units	
2.	<ul> <li>Processor: Intel Core i5-4690</li> <li>Motherboard: Asus H81M-A Motherboard (Socket 1150)</li> <li>Memory: 2 x 2 GB Kingston DDR3 PCI 1600 (IKvR16N11S6/2)</li> <li>Hard Disk: Seagate 500GB7200RPM 3.5" SATA (ST500DM002)</li> <li>Case: ATX Casing V17 Powerlogic</li> <li>KB/Mouse: A4TECH KRS8520D Black Keyboard</li> <li>Monitor: AOC 18.5" LED E950SWN BLK monitor</li> <li>With AVR</li> <li>With DVD Writer</li> </ul>	1 unit	
3.	PRINTER (Lipa Campus, Extension Services, Health Services, Health Services - Rosario Campus, CIT)  • Printing  → Print Method: On-demand ink jet  → Nozzle Configuration: 180 nozzles Black, 59 nozzles each colour (Cyan, Magenta, Yellow)		

Blaaing Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Print Direction: Bi-directional printing, Uni-		
	directional printing		
	→ Maximum Resolution: 5760 x 1440 dpi		
	(with Variable-Sized Droplet Technology)		
	→ Minimum Ink Droplet Volume: 3pl		
	• • •		
	Print Speed     Print Spe		
	→ Max Black Draft Text - Memo (A4): Approx.		
	27 ppm / 15 ppm (Bk/Cl)		
	→ ISO 24734, A4: Approx. 6.0 ipm / 3.0 ipm		
	(Bk/Cl))		
	→ Max Photo Draft - 10x15cm/4x6": Approx.		
	27 sec per photo (W/Border)		
	→ Photo Default - 10x15cm/4x6": Approx. 69		
	sec per photo (W/Border)		
	see per photo (11/201der)		
	<ul> <li>Copying</li> </ul>		
	Copy Speed		
	→ Max. Black Draft Text - Memo (A4): Approx.		
	5 sec (Draft)		
	→ Max. Colour Draft Text - Memo (A4):		
	Approx. 10 sec (Draft)		
	Copy Mode Standard copy mode		
	<ul> <li>Maximum Copies From Standalone 20 sheets</li> </ul>		
	(fixed)		
	Scanning		
	Scanner Type: Flatbed colour image		
	scanner Songer Tymes CIS		
	Sensor Type: CIS		
	Optical Resolution 600 x 1200 dpi		
	→ Maximum Scan Area 216 x 297mm (8.5 x		
	11.7")		
	Scanner Bit Depth		
	Colour: 48-bit internal, 24-bit external		
	Grayscale: 16-bit internal, 8-bit external		
	🖶 Black & White: 16-bit internal, 1-bit		
	external		
	→ Scan Speed		
	Monochrome 300 dpi: 2.4 msec/line		
	Colour 300 dpi: 9.5 msec/line		
	Monochrome 600 dpi: 7.2 msec/line		
	Colour 600 dpi: 14.3 msec/line		
	- Goldar ood api. 14.5 msec/me		
	PRINTER (RESEARCH)		
	Functions: Print, Copy, Scan, Photo     Printing Specifications		
4	Printing Specifications:	4	
4.	→ Print speed black:	4 units	
	<b>↓</b> ISO: Up to 8.8 ppm		
	♣ Draft: Up to 21 ppm		
	→ Print Speed Color:		

- ISO: Up to 5.2 ppm
- Draft: Up to 17 ppm
- First page out (ready)
  - Black: As fast as 19 sec
  - Color: As fast as 24 sec
- Duty cycle (monthly, A4)
  - **↓** Up to 1000 pages
- Recommended monthly page volume
  - 4 300 to 400
- Print Technology: Thermal Inkiet
- Printer quality (best)
  - Color: Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected photo papers and 1200 input dpi)
  - Black: Up to 1200 x 600 rendered dpi (when printing from a computer)
- Display: 5 cm (2.0") Hi-Res Mono LCD
- Processor Speed: 360 MHz
- Number of print cartridges: 2 total, 1 black, 1 tri – color cyan, magenta, yellow)

## Connectivity

- Wireless Capability: Yes
- Connectivity Standard: 1 Hi-Speed USB 2.0 1 WiFi 802.11n
- Minimum System Requirements: Windows 8, 7:1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows XP SP3 or higher (32-bit only): Intel®Pentium® II, Celeron® or 233 MHz compatible processor, 750 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6.
- Mac OS X v. 10.6, OS X Lion, OS X Mountain Lion
- Intel® Core™ Processor
- 1 GB HD
- CD-ROM/DVD or Internet
- **USB**

#### **Memory Specifications**

Memory, standard: 32 MB DDR1 memory

## Paper Handling

- Paper handling input, standard: Up to 100 sheets
- Paper handling output, standard: 30-sheet output tray

Didding Doo	1	Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	I	
	•	Duplex Printing:		
		Automatic (standard): Media sizes		
		supported (A4, A5, B5, DL, C6, A6)		
		→ Media sizes (custom): 76 x 127 to 216 x		
		356mm		
		Media types: Paper (plain, inkjet, photo),		
		envelopes, cards, iron-on transfers,		
		borderless media		
		Barcode scanner: 20 lb		
		Media weights, supported: 64 to 90 g/m <sup>2</sup>		
	•	Scanner specifications		
		→ Scanner type: Flatbed		
		→ Scan file format: PDF, BMP, PNG, TIF, JPG		
		Scan resolution (optical): Up to 1200 dpi Bit depth: 24-bit		
		→ Bit depth: 24-bit		
		→ Scan size (flatbed), maximum: 216 x		
		297mm		
		Scan input methods: Front panel scan,		
		Front panel copy		
	•	Copier Specifications		
		Copy resolution (black test): 600 x 600 dpi		
		Copy resolution (color text and graphics):		
		600 x 1200 dpi		
		Copy reduce/enlarge settings: 25 to 400%		
		→ Copies, maximum: Up to 50 copies		
	•	Power and operating requirements		
		→ Power: 100-240 V (+/-10%), 50/60 Hz		
		(+/-3  Hz)		
		→ Power Consumption: 13.07 watts		
		(printing, 2.51 watts (ready), 0.70 watts		
		(sleep), 0.20 watts (off)		
		• Operating temperature range: 5 to 40°C		
		• Operating Humidity Range: 20 to 80% RH		
	•	Dimensions and weight		
		$\rightarrow$ Minimum dimensions (W x D x H) : 445 x		
		334 x 120mm		
		$\rightarrow$ Maximum dimensions (W x D x H) : 445 x		
		608 x 390mm		
		Weight: 5.49 kg		
		→ Package weight: 6.43 kg		
	DDING	TED (OCAC)		
	r KIN I	TER (OSAS)		
		Functions: Print, copy, scan		
		runctions. Finit, copy, scall		
5.		PRINTING SPECIFICATIONS:	5 units	
		I MINTING SI EGIFICATIONS.		
		Print speed black:		
		→ ISO: Up to 7 ppm[1]		
	1	4 100. op to / ppiii[1]	l	

- Draft: Up to 20 ppm
- Print speed color:
  - ISO: Up to 4 ppm[1]
  - Draft: Up to 16 ppm
- First page out (ready)
  - Black: As fast as 17 sec
  - Color: As fast as 24 sec
- Duty cycle (monthly, A4): Up to 1000 pages
- Number of print cartridges: 2 (1 black, 1 Tricolor)

#### CONNECTIVITY

Connectivity, standard: 1 Hi-Speed USB 2.0

## **PAPER HANDLING**

- Paper handling input, standard: 60-sheet input tray
- Paper handling output, standard: 25-sheet output tray
- Duplex printing:Manual (driver support provided)
- Media sizes supported: A4, B5, A6, DL envelope
- Media sizes custom: 89 x 127 to 215 x 279 mm
- Media types: Paper (brochure, inkjet, plain), photo paper, envelopes, labels, cards (greeting)
- Barcode scanner: 20 lb
- Media weights, supported:

A4: 60 to 90 g/m<sup>2</sup>; HP envelopes: 75 to 90 g/m<sup>2</sup>; HP cards: up to  $200 \text{ g/m}^2$ ; HP  $10 \times 15 \text{ cm}$  photo paper: up to  $300 \text{ g/m}^2$ 

#### **SCANNER SPECIFICATIONS**

- Scanner type: Flatbed
- Scan file format: JPEG, TIFF, PDF, BMP, PNG
- Scan resolution, optical: Up to 1200 dpi
- Bit depth: 24-bit
- Scan size (flatbed), maximum: 216 x 297 mm
- Scan input modes: Front-panel scan

## COPIER SPECIFICATIONS

- Copy resolution (black text): Up to 600 x 300 dpi
- Copy resolution (color text and graphics): Up to 600 x 300 dpi
- Copies, maximum: Up to 9 copies

	PRIN	TER (SAN JUAN CAMPUS)		
6.	PRIN	Printing Technology  → Print Method: Impact dot matrix → Number of Pins in Head: 24 pins → Print Direction: Bi-direction with logic seeking → Control Code: ESC/P2 and IBM PPDS emulation  Print Speed → High Speed Draft10/12 cpi: 347 / 416 cps → Draft10/12/15 cpi: 260 / 312 / 390 cps → Draft Condensed17/20 cpi: 222 / 260 cps → LQ10/12/15 cpi: 86 / 103 / 129 cps → LQ Condensed17/20 cpi: 147 / 172 cps  Print Characteristics → Character Sets: Italic table, PC437 (US Standard Europe), PC850 (Multilingual), PC860 (Portuguese), PC861 (Icelandic), PC863 (Canadian-French), PC865 (Nordic), Abicomp, BRASCII, Roman 8, ISO Latin 1, PC 858, ISO 8859-15  Ribbon Cartridge  → Standard: Fabric Ribbon Cartridge (Black) → Ribbon Life: Approx. 2.5 million characters (Draft 10cpi, 48 dots/character)		
		Acoustic Noise: Approx. 53dB(A)		
	PRIN'	(ISO 7779 pattern) <b>TER (BAC Office)</b>		
7.	•	Functions: Print First page out (ready) black: As fast as 5.6 sec Monthly duty cycle: Up to 80,000 pages Recommended monthly page volume: 750 to 4000 Print Technology: Laser Display: 2-line backlit LCD graphic display Processor speed: 1200 MHz Number of print cartridges: 1 (black) Replacement cartridges Print languages Automatic paper sensor: No Paper trays, standard: 2 Paper trays, maximum: 3	1 unit	

Didding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	<ul><li>Mobile Printing Capability</li><li>Connectivity, standard: 1 Hi-Speed USB 2.0; 1</li></ul>		
	Host USB; 1 Gigabit Ethernet 10/100/1000T		
	network		
	Network ready: Standard (built-in Gigabit		
	Ethernet)		
	Ports: 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit		
	Ethernet 10/100/1000T network		
	Paper handling input, standard: 100-sheet		
	multipurpose Tray 1, 250-sheet input Tray 2		
	Paper handling output, standard: 150-sheet     autput him		
	<ul><li>output bin</li><li>Duplex printing: Automatic(standard)</li></ul>		
	Finished output handling: Sheetfed		
	PRINTER (CAS)		
	• 180 Nozzles Black, 59 Nozzles per Color		
	Minimum Droplet Size: 3pl		
	• Printing Resolution: 5,760 x 1,440 DPI		
	All-in-One Functions		
	<ul> <li>Printing Speed6 Pages/min Monochrome, 3</li> </ul>		
8.	Pages/min Color	3 sets	
0.	<ul> <li>Printing Speed: 69 seconds</li> </ul>	3 3613	
	Scanner Type: Contact Image Sensor (CIS)		
	Duplex: Manual		
	Output Tray Capacity: 30 sheets		
	<ul> <li>Paper Tray Capacity: 50 Sheets Standard, 50 Sheets</li> </ul>		
	Maximum: 10 Photo Sheets		
	- Maximum. 10 1 noto sneets		
	LCD PROJECTOR WITH SCREEN (Extension Services)		
	<ul> <li>Native Resolution: SVGA 800 x 600</li> </ul>		
	Maximum Resolution: WUXGA 1920 x 1200		
	Brightness		
	Normal Mode: 3200 Lumens		
	→ Eco Mode: 2500 Lumens		
	Lamp Life:		
9.	Normal Mode: 3500 hours	1 unit	
, ·	→ Eco Mode: 5000 hours	1 unit	
	• Lamp power: 230W UHP		
	Contrast Ratio: 3000:1     Colours Wheel: 6 Segment 3v Speed		
	<ul> <li>Colours Wheel: 6 Segment, 2x Speed</li> <li>Input Sources: HDMI 1.4,VGA x 2,Composite</li> </ul>		
	Video,S-Video,3.5mm stereo input,RS232C,USB B		
	Mini (control & firmware)		
	Output Sources: Monitor out ( VGA), Audio out		
	(3.5mm)		
	Control: Projector Keypad, IR Remote, RS232, USB		

Bidding Doo			
Bidding Doo	Mini for mouse  Audible Noise: 30 dB Normal Mode ( 28 dB Eco Mode)  Computer Compatibility: PC, MAC  Projector Offset: 130% + 5%  Lens Type: Manual zoom and focus  Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)  Zoom Ratio: 1.1:1  Number of Colours: 16.7 million  Aspect Ratio: 4:3 (Native),Support 16:9,16:10,Auto  Synch - Horizontal Scan Freg: 31 - 100kHz  Vertical Scan Freg: 50-120Hz  Video Compatibility: SDTV (NTSC,PAL,SECAM,480i,576i),ED/HDTV (480p,576p,720p,1080i,1080p)  Audio: 2W mono  Product Dimensions: 284 x 235x 70mm(WxDxH)  Product Weight: .17kg ( Estimated)  Shipping Dimensions: 330 x 330x150mm (WxDxH)  Shipping Weight: 3.67Kg ( Estimated)  Maximum Altitute: 3,048m  Operating Temperature: 5- 35C  Remote Control: Full Function ( No Laser)  Security Features: Security lock slot,Security bar, User PIN  Ships with Accessories: Power cord, VGA cable, Safety instructions, User manual, Remote		
10.	CONTROL  LCD PROJECTOR (Research, CONAHS)  Native Resolution: SVGA 800 x 600  Maximum Resolution: WUXGA 1920 x 1200  Brightness  Normal Mode: 3200 Lumens  Eco Mode: 2500 Lumens  Lamp Life:  Normal Mode: 3500 hours  Eco Mode: 5000 hours  Contrast Ratio: 3000:1  Colours Wheel: 6 Segment, 2x Speed  Input Sources: HDMI 1.4,VGA x 2,Composite Video,S-Video,3.5mm stereo input,RS232C,USB B Mini (control & firmware)  Output Sources: Monitor out (VGA), Audio out	5 units	

bluullig Doc	uments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		1
	(3.5mm)		
	Control: Projector Keypad,IR Remote,RS232,USB		
	Mini for mouse		
	• Audible Noise: 30 dB Normal Mode (28 dB Eco		
	Mode)		
	<ul> <li>Computer Compatibility: PC, MAC</li> </ul>		
	<ul><li>Projector Offset: 130% + 5%</li></ul>		
	<ul> <li>Lens Type: Manual zoom and focus</li> </ul>		
	<ul> <li>Lens - Throw Ratio: 1.97-2.17:1 (50" @ 2m)</li> </ul>		
	• Zoom Ratio: 1.1:1		
	<ul> <li>Number of Colours: 16.7 million</li> </ul>		
	<ul> <li>Aspect Ratio: 4:3 (Native), Support</li> </ul>		
	16:9,16:10,Auto		
	<ul> <li>Synch - Horizontal Scan Freg: 31 - 100kHz</li> </ul>		
	<ul> <li>Vertical Scan Freg: 50-120Hz</li> </ul>		
	<ul> <li>Video Compatibility: SDTV</li> </ul>		
	(NTSC,PAL,SECAM,480i,576i),ED/HDTV		
	(480p,576p,720p,1080i,1080p)		
	<ul> <li>Audio: 2W mono</li> </ul>		
	<ul> <li>Product Dimensions: 284 x 235x 70mm(WxDxH)</li> </ul>		
	<ul> <li>Product Weight: .17kg (Estimated)</li> </ul>		
	<ul> <li>Shipping Dimensions: 330 x 330x150mm</li> </ul>		
	(WxDxH)		
	<ul> <li>Shipping Weight: 3.67Kg (Estimated)</li> </ul>		
	<ul> <li>Maximum Altitute: 3,048m</li> </ul>		
	<ul> <li>Operating Temperature: 5- 35C</li> </ul>		
	<ul> <li>Remote Control: Full Function (No Laser)</li> </ul>		
	<ul> <li>Security Features: Security lock slot, Security bar,</li> </ul>		
	User PIN		
	Ships with Accessories: Power cord, VGA		
	cable, Safety instructions, User manual, Remote		
	control		
	LAPTOP (RESEARCH)		
	Operating System: Windows 8.1		
	CPU: Intel Core i7-4510U Processor 2.0 Ghz		
	RAM and Hard Disk Drive (HDD): 8 GB RAM and		
	1TB HDD		
	• Graphics: 2 GB AMD Radeon HD R7 M265		
11.	<ul> <li>Memory and expandability options: 1 TB HDD</li> </ul>	1 unit	
	Connectivity options: Wireless LAN 802.11 b/g		
	Camera resolution (MP): HD webcam		
	Battery type and charge (mAh): 6-cell Battery		
	Optical drive(CD): DVD+/-RW		
	• Power Consumption: 220V/60 Hz		
<u> </u>		1	1

LAPTOP (CONAHS)				
	LAPI			
	•	Operating System: Windows 8.1 Pro, Windows		
		8.1		
	•	Memory: DDR3 MHz SDRAM, up to 8 G		
	•	Display: 14.0" Auto HD (1366x768)		
		Storage: 2.5" SATA		
		320GB HDD 5400 RPM		
		500GB HDD 5400 RPM		
		750GB HDD 5400 RPM		
		1TB HDD 5400 RPM		
	•	Optical Drive: Super-Multi DVD		
	•	Card Reader: card reader ( SD SDHC )		
	•	Camera: VGA Web Camera		
12.	•	Networking: Integrated 802.11 b/g/n	1unit	
12.		10/100 Base T	Tunic	
		BT 4.0 support (on WLAN+ BT 4.0		
		combo card)		
	•	Interface: 1 x COMBO audio jack		
		1 x VGA port/Mini D-sub 15-pin for		
		external monitor		
		1 x USB 3.0 port(s)		
		1 x USB 2.0 port(s)		
		1 x RJ45 LAN Jack for LAN insert		
		1 x HDMI		
	_	1 x Display Port		
	•	Power Adapter		
		Output :19 V DC, 1.75 A, 33 W		
	NOTE	→ Input:100 -240 V AC, 50/60 Hz universal		
	NOTE	BOOK COMPUTER (IAU)		
	•	1.6 MHz, Processor Speed; 1-2 GB RAM; 10.1"		
13.		Display; 500 MB HDD; Graphics; Integrated;	1 unit	
		Built-in Microphone and Webcam; Touchpad;		
		MMC/SD; Battery: Lithium Ion; Interfaces: USB,		
		Audio, Video, Ethernet, Latest Windows OS, etc.		
	PROJ	ECTOR (BALAYAN CAMPUS)		
	•	Display system: 3 LCD system		
	•	Display device - Size of effective display area:		
		0.63" (16.0 mm)		
	•	Display device - Number of pixels: XGA (1024 x		
		768)		
14.	•	Display device - Aspect ratio: 4:3	2 units	
	•	Projection lens – Focus: Manual		
		Projection lens - Zoom > Powered / Manual:		
		Manual		
	•	Projection lens - Throw ratio: 1.40:1 to		
		2.27:1		
	•	Light source – Type: Lamp		
	-		_	-

•	Light source	Wattage:	210 W type
---	--------------	----------	------------

- Screen size: 30" to 300"
- Screen size: (0.76 m to 7.62 m)
- Light output: Lamp mode: High: 3700 lm
- Light output : Lamp mode: Standard: 2700 lm
- Light output: Lamp mode: Low 2100 lm
- Color light output : Lamp mode High: 3700 lm
- Color light output: Lamp mode Standard: 2700 lm(The values are estimatel)
- Color light output: Lamp mode: Low: 2100 lm(The values are estimatel)
- Contrast ratio (full white / full black) (This value is average) 3000:1
- Input: Composite video > Pin Jack 1
- Input: S video > Mini DIN 4-pin 1
- Input: Computer > Mini D-sub 15-pin 2
- Output: Monitor > Mini D-sub 15-pin 1(From INPUT A and INPUT B)
- I/O, Control, Others : RS-232C > D-sub 9-pin 1 (male)
- I/O, Control, Others : LAN > RJ-45, 10BASE-T/100BASE-TX 1
- I/O, Control, Others : IR (Control S) input > Stereo mini jack, Plug in power DC 5 V -
- I/O, Control, Others : IR (Control S) output > Stereo mini jack -
- I/O, Control, Others : USB > Type A: 1
- I/O, Control, Others: USB > Type B: 1
- I/O, Control, Others: Wireless IFU-WLM3(Option)(Connect to USB Type-A terminal)
- Keystone correction (Max.)(Depends on resolution): Vertical +/- 30°
- Power requirements AC 100 V to 240 V
- Power requirements 2.8 A to 1.2 A, 50/60 Hz
- Power consumption : AC 100 V to 120 V > Lamp mode: High 276 W
- Power consumption : AC 100 V to 120 V > Lamp mode: Standard: 225 W
- Power consumption : AC 220 V to 240 V > Lamp mode: High: 268 W
- Power consumption : AC 220 V to 240 V > Lamp mode: Standard: 218 W
- Power consumption AC 220 V to 240 V > Lamp mode: Low: 189 W
- Standby mode power consumption AC 100 V to

Bidding Doo	uments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	1	
	120 V > Standard: 5.9 W		
	<ul> <li>Standby mode power consumption AC 100 V to</li> </ul>		
	120  V > Low:  0.5  W		
	<ul> <li>Standby mode power consumption :AC 220 V to</li> </ul>		
	240 V > Standar:d 5.9 W		
	<ul> <li>Standby mode power consumption AC 220 V to</li> </ul>		
	240 V > Low: 0.5.W		
	<ul> <li>Heat dissipation AC 100 V to 120 V: 942</li> </ul>		
	BTU		
	<ul> <li>Heat dissipation AC 220 V to 240 V: 915</li> </ul>		
	BTU		
	<ul> <li>Dimensions (W x H x D) (without protrusions):</li> </ul>		
	365 x 96.2 x 252 mm		
	• Dimensions (W x H x D) (without protrusions:)		
	14 3/8 x 3 25/32 x 9 29/32 in		
	• Mass 3.8 kg / 8 lb 6 oz		
	<ul> <li>Supplied accessories Remote commander:</li> </ul>		
	RM-PJ8		
	<ul> <li>Optional accessories Replacement lamp: LMP-</li> </ul>		
	E212		
	<ul> <li>Optional accessories Wireless LAN Module:</li> </ul>		
	IFU-WLM3		
	PROJECTOR (OSAS) 112a		
	<ul> <li>Native Aspect Ratio: 4x3</li> </ul>		
	<ul> <li>Technology: DLP</li> </ul>		
	• Resolution: SVGA(800x600)		
	• Lumens (Eco/High): 2800/3000		
	• Contrast: 15000		
	• 3D: Supports 3D content from Blu-ray, cable		
	boxes, dish services and more (over HDMI) at		
	144Hz and PC-based 3D content at 120Hz. DLP		
	Link 3D glasses required.		
	•		
	Closed Captioning: Yes     Speckers: 2W (1 v 2W)		
1=	• Speakers: 2W (1 x 2W)		
15.	• Audible Noise (Eco/High, dBA): 29/30	9 units	
	• Keystone: $\pm 40^{\circ}$		
	• Lamp: SP-LAMP-086		
	• Lamp Hours (Eco/High): 10000/5000		
	• Connections: HDMI 1.4, VGA x 2, Composite		
	video, S-Video, 3.5 mm stereo in x 2, 3.5mm		
	stereo out, RS232C		
	• Image Offset: 15		
	<ul> <li>Lens Shift: Horz (min/max):None</li> </ul>		
	<ul> <li>Lens Shift: Vert (min/max): None</li> </ul>		
	• Throw Ratio: 2.2~1.9		
	• Weight(lbs/kg): 5.4/2.5		
	<ul> <li>Product Dimensions HxWxD: 8.7in x 11.5in</li> </ul>		
	1 1 Oddet Difficultions HAVVAD. 0.7 III A 11.5III		

January 200	ruments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	x 4.7in (220mm x 292mm x 121mm)		
	<ul> <li>Shipping Weight(lbs/kg): 7.1/3.2</li> </ul>		
	<ul> <li>Shipping Dimensions HxWxD: 12in x</li> </ul>		
	14.25in x 7.75in (305mm x 362mm x 197mm)		
	<ul> <li>Power consumption: (Max, Watts)</li> </ul>		
	1 0 1 0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	PROJECTOR (CAS)		
	<ul> <li>Technology: DLP Projector</li> </ul>		
	<ul> <li>Image Brightness: 2700 ANSI lumens</li> </ul>		
	<ul> <li>Image Contrast Ratio: 13000:1</li> </ul>		
	<ul> <li>Native Resolution: SVGA (800 x 600)</li> </ul>		
	<ul> <li>Maximum Resolution: 1920 x 1080 pixels</li> </ul>		
	Native Aspect Ratio: 4:3		
	• Lamp Life: Up to 7000h		
	<ul> <li>Zoom Type: Digital zoom/Manual Zoom</li> </ul>		
	<ul> <li>Digital Zoom Factor: 2x</li> </ul>		
	_		
16.	<ul> <li>HDTV Standards: 480p, 576p, 720p, 1080i</li> </ul>	2 units	
	Interface:		
	→ 1 x VGA		
	1 x VdA 1 x Video		
	1 x Video		
	→ 1 x USB 2.0		
	• Features:		
	→ DLP 3D ready, Color Boost II, Color Safe II,		
	Eco Projection		
	PROJECTOR (SAN JUAN CAMPUS)		
	Display Specifications		
	Aspect Ratio (Native): 4:3		
	→ Aspect Ratio (Supported): 4:3, 5:4, 16:9,		
	16:10		
	→ Resolution (Native): XGA (1024 x 768)		
	Resolution (Max): UXGA (1600 x 1200)		
	Contrast Ratio: 4000: 1		
	→ 3D Capable: Yes		
17.	Closed Captioning: Yes	3 units	
	Color Wheel: 6-segment		
	Computer Compatibility: PC, Mac		
	Display Technology: DLP		
	Number of Colors: 16.7 million		
	→ Projection Presets: Presentation, Video,		
	Bright, Whiteboard, Blackboard, Beige Wall,		
	User		
	Projector Placement: Front, Ceiling, Rear		
	→ Video Compatibility: SDTV (NTSC, PAL,  CREAN (1991) 57 (1991) 177 (1992) 177 (199		
	SECAM, 480i, 576i), ed/HDTV (480p, 576p,		

_

0	· - · •	
<b>Bidding Documents</b>	(Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	1

Blading Doc	uments (E	Based on Revised IRR of RA 9184, Fourth Edition, December 2010)	1	,
		120037.0 sec		
		→ 24-bit Colour: 3009.9 sec		
		60029.0 sec		
		1200103.0 sec		
		FUNCTIONS		
	•	Driver and Bundled Software:		
		<ul><li>Document Capture Pro (Win)/Document</li></ul>		
		Capture (Mac)		
		→ Photo Scan		
		Event Manager		
		→ Copy Utility		
	•	SUPPORTED PLATFORMS		
		Operating Creature Misses C. M. J. VD		
		<ul><li>Operating Systems: Microsoft Windows XP SP2/Vista/7/8/8.1</li></ul>		
		$\rightarrow$ MAC OS x 10.6 x or later		
		- I-IIIC OD A TO.O A OF TALET		
	•	ENVIRONMENTAL CONDITIONS		
		→ Temperature		
		Operating: 10-35°C		
		♣ Storage: -20 -60°C		
		→ Humidity		
		Operating: 20 – 80% (No Condensation)		
		Storage: 20 – 80% (No Condensation)		
	•	ELECTRICAL SPECIFICATIONS		
		→ Rated Voltage: 5.0 V (USB Bus Power)		
	•	POWER CONSUMPTION		
		→ Operating: 2.5W		
		Ready: 1.1W		
		→ Power Off: 0.0125W		
		VER (RESEARCH)		
		Scanner Type: Flatbed		
		Scanning Method: CIS (Contact Image Sensor)		
		Light Source: 3-colour (RGB) LED		
		Optical 4800 x 4800 dpi		
	•	Scanning Bit Depth		
19.		→ Grayscale : 16-bit input	2 units	
17.		8-bit output	2 dines	
		→ Colour: 48 – bit input (16-bit for each		
		colour)		
		48 or 24-bit output (16-bit or 8-bit		
		for each colour)		
	•	Preview Speed: Approx. 9 secs		
	•	Scanning Speed: Colour A4 Approx. 300 dpi 10		

Ridding Do	cuments (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)		
	Secs		
	• Scanning Speed (Reflective)		
	→ Grayscale, B&W: 4800dpi: 11.1 msec/line		
	2400dpi: 5.6 msec/line 1200dpi: 2.8 msec/line		
	600dpi: 1.4 msec/line		
	300dpi: 2.2 msec/line		
	→ Colour: 4800dpi: 33.2 msec/line		
	2400dpi: 16.7 msec/line		
	1200dpi: 8.4 msec/line		
	600dpi: 4.3 msec/line		
	300dpi: 2.2 msec/line		
	Max. Document Size: A4, LTR: 216 x 297mm		
	• Scanner Buttons (EZ 5 buttons (PDF x 2,		
	Autoscan, Copy, Send)		
	Interface Operating Environment		
	→ Temperature: 5 - 35°C		
	→ Humidity: 10-90% RH (no dew		
	condensation)		
	→ Power Supply: Supplied via USB port		
	→ Power: Maximum Approx. 2.5W during		
	operation, Standby: Approx. 1.4 W OFF,		
	Approx (Suspend) 11mW		
	Flash Drive (OSAS, CAS)		
	Capacities: 8 Gb		
20.	<ul> <li>Compatible with: Windows® 8, Windows 7,</li> </ul>	7 units	
	Windows Vista®, Windows XP, Mac OS X v.		
	10.6x+, Linux v.2.6.x+		
	1 TB External Hard Disk (FMSO, IAU)		
	• 1.0 TB Storage Cap; 3.0 USB Port;5,120	2 units	
21.	megabits/second: Max Transfer Speed; With		
	Speed; With backup and security software; With		
	plug-and-play capability; With anti-shock		
	protection casing, etc.  Hard Drive (CAS, Property and Supply)		
	• Capacity: 2 TB		
	<ul> <li>USB powered portable add-on storage</li> </ul>		
	<ul> <li>Easy to use with no software to install.</li> </ul>		
22.	<ul> <li>Protects drive (Internal Shock Sensor and ramp</li> </ul>	3 units	
	Loading Technology)		
	Accommodates large digital files with spacious		
	storage capacity		
	External Hard Drive (RESEARCH)		
	Military-grade shock resistance		
	<ul> <li>Super speed USB 3.0 compliant and backwards</li> </ul>		
23.	compatible with USB 2.0	4 units	
	Advanced 3-stage shock rubber outer case		
	Advanced internal hard drive suspension		
L		<u> </u>	

Batangas State University
Bidding Documents (Based on Revised IRR of RA 9184, Fourth Edition, December 2010)

	system, press to reconnect the drive without having to unplug and replug the USB connector again  One Touch Auto-Backup button		
24.	CD Rewritable	25 pcs	
25.	<ul> <li>Antivirus</li> <li>System Requirements: Microsoft® Windows® XP (32-bit) Home/Professional/Tablet PC/Media Center (32-bit) with Service Pack 2 or later Microsoft Windows Vista® (32-bit and 64-bit) Starter/Home Basic/Home Premium/Business/Ultimate with Service Pack 1 or later, Microsoft Windows 7 (32-bit and 64-bit) Starter/Home Basic/Home Premium/Ultimate, Microsoft Windows 8 and Windows 8 Pro (32-bit and 64-bit), Microsoft Windows 10 (32-bi and 64-bit)</li> <li>Minimum Hardware Requirements: 300 MHz for Microsoft Windows XP, 1 GHz for Microsoft Windows Vista/Windows 7/Windows 8/Windows 10, 256Mb of RAM, 300 Mb of available hard disk space, CD-ROM or DVD drive (if not installing via electronic download), Microsoft Internet Explorer® 7.0 or higher (32-bit only)</li> </ul>	2 units	
	<ul> <li>Support for Antispam: Microsoft Outlook®2002 or later, Microsoft Outlook Express 6.0 or later, Windows Mail (spam filtering only)</li> <li>Browser Support for Vulnerability Protection: Microsoft Internet Explorer 7.0 or higher (32-bit only), Mozilla Firefox (32-bit only)</li> </ul>		

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)
CITY/MUNICIPALITY OF	) S.S

#### **AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

### 1. Select one, delete the other:

*If a sole proprietorship:* I am the sole proprietor of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

## 2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to represent it in the bidding for [Name of the Project] of the [Name of the Procuring Entity];

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the [Name of Bidder] in the bidding as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

#### 6. *Select one, delete the rest:*

If a sole proprietorship: I am not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards;
- 8. [Name of Bidder] did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity; and
- 9. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].

IN WITNESS WH	EREOF, I have hereunto	set my hand this day of, 20 at
Philippines.		,
		Bidder's Representative/Authorized Signatory

[JURAT]

# REQUEST FOR CLARIFICATION

							_
r	tσ	.et	FΙ	n	tΔ	12	n
	10	.61		()	10	ы	

## ATTY. EDGARD E. VALDEZ

Name of the Bidder

BAC Chairman
Batangas State University
Rizal Avenue, Batangas City
Telephone No.: 980-0385 local 1811

Dear Sir:
In relation to the Sectionof Pageof the Bidding Documents for ( <u>Name of the Project</u> ), to wit:
<u>" (Quote unclear provision)</u> "
We would appreciate it if you could provide further explanation or clarification on the above. Thank you very much.
Very truly yours,
Name of Representative of the Bidder

# **Bill of Quantities**

Name of Bidder \_\_\_\_\_\_. Invitation to Bid Number \_\_\_\_. Page of \_\_\_\_.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Cost of local labor, raw material, and component <sup>2</sup>	Total price EXW per item (cols. 4 x 5)	Unit prices per item final destination and unit price of other incidental services	Sales and other taxes payable per item if Contract is awarded	Total Price delivered Final Destination (col 8 + 9) x 4